















- cise protocols on metabolic profiles and fatty acid metabolism in skeletal muscle in high-fat diet-fed rats. *Obesity* (Silver Spring) 2015;23:1000-6.
25. Naves JPA, Rebelo ACS, Silva LRBE, et al. Cardio-respiratory and perceptual responses of two interval training and a continuous training protocol in healthy young men. *Eur J Sport Sci* 2019;19:653-60.
26. Ozaki H, Loenneke JP, Thiebaud RS, Abe T. Cycle training induces muscle hypertrophy and strength gain: strategies and mechanisms. *Acta Physiol Hung* 2015;102:1-22.
27. Lee EH, Park JE, Choi YJ, Huh KB, Kim WY. A randomized study to establish the effects of spirulina in type 2 diabetes mellitus patients. *Nutr Res Pract* 2008;2:295-300.
28. Ghadery B, Ghazalian F, Hosseini SA, et al. Effect of high-intensity interval training with *eryngium campetere* on lipid profile and glycemic indices in high-fat diet-induced obese rats. *Hormozgan Med J* 2020;24:e98982.
29. Goodwin ML. Blood glucose regulation during prolonged, submaximal, continuous exercise: a guide for clinicians. *J Diabetes Sci Technol* 2010;4:694-705.
30. Ambrosi MA, Reinehr CO, Bertolin TE, et al. Propriedades de saúde de *Spirulina* spp. *Rev Ciênc Farm Básica Apl* 2008;29:109-117.
31. Karkos PD, Leong SC, Karkos CD, et al. Spirulina in clinical practice: evidence-based human applications. *Evid Based Complement Alternat Med* 2011;2011:531053.
32. Azhir S, Alijani E, Martínez-Huenchullán SF, et al. Effects of exercise intensity on soleus muscle myostatin and follistatin levels of hyperglycaemic rats. *Retos: nuevas tendencias en educación física, deporte y recreación*. 2022; 889–896.
33. Mathers JL, Farnfield MM, Garnham AP, et al. Early inflammatory and myogenic responses to resistance exercise in the elderly. *Muscle Nerve* 2012;46:407-12.
34. Drummond MJ, Bell JA, Fjellin S, et al. Amino acids are necessary for the insulin-induced activation of mTOR/S6K1 signaling and protein synthesis in healthy and insulin resistant human skeletal muscle. *Clin Nutr* 2008;27:447-56.
35. Hyatt JP, McCall GE, Kander EM, et al. PAX3/7 expression coincides with MyoD during chronic skeletal muscle overload. *Muscle Nerve* 2008;38:861-6.
36. Raue U, Slivka D, Jemiolo B, et al. Myogenic gene expression at rest and after a bout of resistance exercise in young (18-30 yr) and old (80-89 yr) women. *J Appl Physiol* (1985) 2006;101:53-9.
37. Biglari S, Gaeini AA, Kordi MR, Ghardashi-Afousi A. The effect of 8 weeks high-intensity interval training on myostatin and follistatin gene expression in gastrocnemius muscle of the rats. *J Arak Uni Med Sci* 2018;21:1-10.
38. Zhao Y, Chen M, Lian D, et al. Non-coding RNA regulates the myogenesis of skeletal muscle satellite cells, injury repair and diseases. *Cells* 2019;8:988.
39. Gundersen K. Excitation-transcription coupling in skeletal muscle: the molecular pathways of exercise. *Biol Rev Camb Philos Soc* 2011;86:564-600.
40. Krook A, Roth RA, Jiang XJ, et al. Insulin-stimulated Akt kinase activity is reduced in skeletal muscle from NIDDM subjects. *Diabetes* 1998;47:1281-6.
41. Callahan MJ, Parr EB, Hawley JA, Camera DM. Can high-intensity interval training promote skeletal muscle anabolism? *Sports Med* 2021;51:405-21.
42. Mao Z, Zhang W. Role of mTOR in glucose and lipid metabolism. *Int J Mol Sci* 2018;19:2043.
43. Morgan A, Noguchi KS, Tang A, et al. Physical and cognitive effects of high-intensity interval or circuit-based strength training in a community-dwelling older adults: a systematic review. *Aging Phys Act* 2023;31:1051-74.
44. Coswig VS, Barbalho M, Raiol R, et al. Effects of high vs moderate intensity intermittent training on functionality, resting heart rate and blood pressure of elderly women. *J Transl Med* 2020;18:88.
45. Genêl B, Silva LRBE, Antunes DE, et al. The effects of three different low-volume aerobic training protocols on cardiometabolic parameters of type 2 diabetes patients: A randomized clinical trial. *Front Endocrinol (Lausanne)* 2023;14:985404.
46. Portela PFM, Neto VGC, Monteiro ER, et al. HIIT is most effective than mict on glycemic control of older people with glucose metabolism impairments: A systematic review and metanalysis. *Prim Care Diabetes* 2023;17:129-36.
47. Lynch GS, Cuffe SA, Plant DR, Gregorevic P. IGF-I treatment improves the functional properties of fast- and slow-twitch skeletal muscles from dystrophic mice. *Neuromuscul Disord* 2001;11:260-8.
48. Meznaric M, Eržen I, Karen P, Cvetko E. Effect of ageing on the myosin heavy chain composition of the human sternocleidomastoid muscle. *Ann Anat* 2018; 216:95-99.

#### Disclaimer

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article or claim that may be made by its manufacturer is not guaranteed or endorsed by the publisher.

Submitted: 30 June 2024.

Accepted: 5 August 2024.

Early access: 9 October 2024.