

Since more studies are needed, the actions proposed are meant to support what can be considered a new area of scientific interest within epidemiological emergencies, which needs to define new ways of carrying out life-saving maneuvers on critical and non-critical patients during road transfer in a biocontainment isolator.

The availability of standardized and internationally validated protocols and procedures might help in forging a new set of skills into today's and tomorrow's professionals, implementing patient and community safety.

References

- Cieslak TJ, Kortepeter MG. A brief history of biocontainment. *Curr Treat Options Infect Dis* 2016;8:251-8.
- Trexler P, Emond R, Evans B. Negative-pressure plastic isolator for patients with dangerous infections. *BMJ* 1977;2:559-61.
- World Health Organization (WHO). Laboratory biosafety manual - 4th edition. 2020. Available from: <https://www.who.int/publications/i/item/9789240011311>
- Kling J. The basics of biocontainment. *Lab Anim (NY)* 2020;49:285-7.
- Kadanali A, Karagoz G. An overview of Ebola virus disease. *North Clin Istanb* 2015;2:81-6.
- Nicol ED, Mephram S, Naylor J, et al. Aeromedical transfer of patients with viral hemorrhagic fever, *Emerg Infect Dis* 2019;25:5-14.
- Gibbs SG, Herstein JJ, Le AB, et al. Review of literature for air medical evacuation high-level containment transport. *Air Med J* 2019;38:359-65.
- Herstein JJ, Figi CE, Le AB, et al. An updated review of literature for air medical evacuation High-Level containment transport during the coronavirus disease 2019 pandemic. *Air Med J* 2023;42:201-9.
- D'Urso F. Road biocontainment transport classification decision algorithm used during COVID-19 outbreak with isolator. Available from: <https://www.medhealthreview.com/2023/11/20/road-biocontainment-transport-classification-decision-algorithm-used-during-covid-19-outbreak-with-isolator/>
- Del Romano M, Ciapessoni L, Di Mola F, et al. Rapid Response air medical evacuation by civilian HEMS crew of critical patients during COVID-19 outbreak – First Fixed Points. *Emerg Care J* 2020;16:134-6.
- Dindart JM, Peyrouset O, Palich R, et al. Aerial medical evacuation of health workers with suspected Ebola virus disease in Guinea Conakry-interest of a negative pressure isolation pod - a case series. *BMC Emerg Med* 2017;17:9.
- Wallace LM. Communication variables in the design of pre-surgical preparatory information. *Br J Clin Psychol* 1986;25:111-8.
- Madl JEM, Sturmhuber SC, Janka R, et al. Preparing patients according to their individual coping style improves patient experience of magnetic resonance imaging. *J Behav Med* 2022;45:841-54.
- Caddick J, Jawad S, Southern S, Majumder S. The power of words: sources of anxiety in patients undergoing local anaesthetic plastic surgery. *Ann R Coll Surg Engl* 2012;94:94-8.
- Dang A, Williams B, Warsing WD, et al. Air quality monitoring during High-Level biocontainment ground transport: observations from two operational exercises. *Disaster Med Public Health Prep* 2022;16:1482-9.
- Christopher GW, Eitzen EM. Air evacuation under high-level biosafety containment: the aeromedical isolation team. *Emerg Infect Dis* 1999;5:241-6.
- Lotz E, Raffin H. Aeromedical evacuation using an aircraft transit isolator of a patient with Lassa fever. *Aviat Space Environ Med* 2012;83:527-30.
- Garibaldi BT, Conger NG, Withers MR, et al. Aeromedical evacuation of patients with contagious infections. *Aeromedical Evacuation* 2019;2019:317-35.

Online Supplementary Materials

Table 1. Possible maneuvers.