

- the First 1000 Days Program, a systems-change intervention, on obesity risk factors during pregnancy. *BMC Pregnancy Childbirth* 2021;21:1-10.
27. Sudrajad M, Qomaruddin MB, Nurmala I. Influence of attitude toward behavior and subjective norms in predicting intention to provide healthy foods on child stunting under five years old. *Indian J Public Health Res Dev* 2019;10:1834-8.
 28. Mistry SK, Hossain MB, Arora A. Maternal nutrition counselling is associated with reduced stunting prevalence and improved feeding practices in early childhood: A post-program comparison study. *Nutr J* 2019;18:1-10.
 29. Moniz MH, Meyn LA, Beigi RH. Text Messaging to Improve Preventive Health Attitudes and Behaviors During Pregnancy: A Prospective Cohort Analysis. *J Reprod Med* 2015;60:378-82.
 30. Armini NKA, Hidayati N, Kusumaningrum T. Determinants of Nutritional Status Among Pregnant Women: a Transcultural Nursing Approach. *Jurnal Ners* 2020;15:214-21.
 31. Triharini M, Mar'Ah Has EM, Nofita G. Determinant factors of anemia in pregnancy based on health belief model: a correlational study. *Jurnal Ners* 2023;18:50-6.
 32. Olsa EA, Sulastri DAE. The Relationship between Mothers' Attitudes and Knowledge of Stunting Incidents in Children Just Entering Elementary School in Nanggalo District. *Jurnal Kesehatan Andalas* 2017;63:523-529.
 33. The National Team For The Acceleration Of Poverty Reduction. 100 Priority Districts or Cities for Stunting Child Intervention. 2017.
 34. Helmyati S, Wigati M, Hariawan MH, et al. Predictors of Poor Neonatal Outcomes among Pregnant Women in Indonesia: A Systematic Review and Meta-Analysis. *Nutrients* 2022;14.
 35. Flora R, Zulkarnain M, Hasyim H, Ermi N, Jasmine AB, Tanjung R, et al. Effect Of Nutritional Status And Protein Intake On Levels Of Serum Albumin In Pregnant Women In Seluma District. *Southeast Asian J Trop Med Public Health* 2022;53:630-41.
 36. Soetjiningsih. *Child Development*. Edisi 2. Jakarta: EGC; 2015.

Non-commercial use only