

The success of empowering cadres in the prevention of acute hepatitis among children in agronursing areas

Sri Wahyuningsih,¹ Musviro Musviro,¹ Nurul Hayati,¹ Ika Adelia Susanti²

¹Faculty of Nursing, Universitas Jember, Jember; ²Faculty of Health Sciences, Universitas dr. Soebandi, Jember, Indonesia

Abstract

Acute hepatitis in children with an unknown cause is defined as an extraordinary event. Children experiencing acute hepatitis may progress to severe acute hepatitis and acute liver failure, leading to potential fatality. This study aimed to identify the empowerment of cadres in preventing acute hepatitis with unknown causes in agro-nursing areas. Employing a quasi-experimental research design, the study involved 21 integrated healthcare center cadres in an agro-nursing area. The questionnaire served as the

measuring tool, and the data were analyzed using a paired sample test. The results revealed a significant p-value of 0.000, indicating differences in the cadres' abilities before and after empowerment. Empowering cadres through discussions provides them with opportunities to address problems collaboratively, fostering commitment to the prevention and early detection of acute hepatitis in children. An acute hepatitis is relatively new and life-threatening, and the prompt action of cadres, communities, and health workers, supporting government programs, contribute to the success of cadre empowerment efforts in preventing and detecting acute hepatitis in children. Empowering cadres through additional information and discussion yields positive outcomes, emphasizing the importance of efforts to prevent and detect acute hepatitis in children in agro-nursing areas.

Correspondence: Musviro Musviro, Faculty of Nursing, Universitas Jember, Jember, Indonesia.
E-mail: musviro@unej.ac.id

Key words: acute hepatitis, agronursing, children, empowerment of cadres.

Contributions: SW data curation, methodology, formal analysis; MM conceptualization, writing – original draft, review and editing; NH conceptualization, validation, visualization, resources; IAS validation, review and editing.

Conflict of interest: the authors declare no conflict of interest.

Funding: this research did not receive external funding.

Ethics approval and consent to participate: the research has received ethical approval from the Health Research Ethics Commission, Universitas Jember. During the research, the researcher pays attention to the ethical principles of information to consent, respect for human rights, beneficence and non-maleficence.

Patient consent for publication: written informed consent was obtained for anonymized patient information to be published in this article.

Availability of data and materials: all data generated or analyzed during this study are included in this published article.

Acknowledgements: we would like to thank Universitas Jember and integrated healthcare center cadres Bondoyudo Village Lumajang Regency for their valuable insights and contributions to this study.

Received: 12 September 2023.

Accepted: 21 December 2023.

Early access: 16 February 2024.

This work is licensed under a Creative Commons Attribution 4.0 License (by-nc 4.0).

©Copyright: the Author(s), 2024
Licensee PAGEPress, Italy
Healthcare in Low-resource Settings 2024; 12:11771
doi:10.4081/hls.2024.11771

Publisher's note: all claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article or claim that may be made by its manufacturer is not guaranteed or endorsed by the publisher.

Introduction

Acute hepatitis is classified as an extraordinary event by the World Health Organization (WHO).¹ Cases of acute hepatitis in children, particularly those with unidentified causes, can lead to severe complications such as acute hepatitis and acute liver failure, possibly resulting in death.^{2,3} Both developed and developing countries grapple with a significant epidemic of hepatitis among children.⁴⁻⁶ Globally, reported cases involve previously healthy children aged one month to 16 years exhibiting signs and symptoms of acute hepatitis, such as vomiting, jaundice, abdominal pain, and nausea.⁷⁻⁹ Some patients progress to acute liver failure, leading to potential fatality, and a subset may require liver transplantation.^{10,11} In the UK, around half of children diagnosed with acute hepatitis lacking a clear etiology undergo testing, with approximately half testing positive for Human Adenovirus 41 Subtype F (HAdV41-F).¹²

Acute hepatitis in children currently lacks a known cause, constituting approximately 10-15% of all cases of acute hepatitis in children.⁴ Those afflicted may experience severe acute hepatitis, which can progress to acute liver failure and, in some instances, result in death. The initial case was reported in the UK on April 8, 2022, with 74 subsequent cases reported in three other countries. This event was declared an extraordinary occurrence on April 15, 2022. The WHO has reported several suspected cases in Southeast Asia, including three suspected cases of pediatric patients with acute hepatitis who succumbed to the condition in Indonesia. In 2022, the prevalence of hepatitis has been documented, totaling 170 cases across 12 countries.¹³

On April 15, 2022, the WHO declared this incident as a public health emergency. Subsequently, the incident has been expanding, with reports coming in from various countries, resulting in approximately 300 probable cases worldwide. The initial report of this case in Indonesia was on April 27, 2022, indicating three reported cases. By May 12, 2022, the number of cases had surged

to 18, distributed across four provinces, namely DKI Jakarta, North Sumatra, East Kalimantan, and East Java. Fatalities were reported in DKI Jakarta (four cases), East Java (one case), East Kalimantan (one case), and West Sumatra (one case), while other patients remain under treatment. The average age of patients with acute hepatitis is between 1-6 years old.¹⁴ According to the Early Alertness and Response System (SKDR) as of May 4, 2022, East Java alone has detected 114 suspected cases of acute hepatitis scattered across several districts/cities.¹⁵

Limited research has been conducted on acute hepatitis with an unknown cause.^{16,17} Research on acute hepatitis with an unknown cause is an ongoing process.¹⁶ Hepatitis A virus is closely linked to sanitation and health standards in a given area. This disease can have significant societal impacts, affecting both economic and social aspects and disrupting daily activities. Since there is no specific treatment for Hepatitis A that can reduce the duration of the disease, preventive measures become crucial. One effective preventive measure to break the transmission chain of hepatitis A is by maintaining personal hygiene through the practice of clean and healthy living behaviors.^{18,19}

The government emphasizes the importance of public vigilance and early recognition of the initial symptoms of acute hepatitis. It encourages individuals not to wait for more advanced symptoms, such as yellowing of the skin and eyes, before seeking treatment. Researchers endorse the government's initiatives to enhance awareness of acute hepatitis with unknown causes. They have developed an application designed for the early detection and prevention of hepatitis in children with unknown causes.²⁰ This study aimed to empower cadres in preventing acute hepatitis with unknown causes in the agronursing area.

Table 1. Respondent characteristics.

Frequency	Percentage	
Age (Years)	17	56.7
20-40	13	43.3
>40		
Employment		
Teacher	14	46.7
Self-Employed	6	20.0
Housewife	10	33.3
Education		
Elementary school	2	6.7
Junior high school	6	20.0
Senior High School	19	63.3
Bachelor	3	10.0
Length of Work		
5-10 Years	11	36.7
>10 Years	16	53.3
<5 Years	3	10.0
Total	30	100.0

Table 2. The ability of cadres before and after empowering cadres.

Mean	Std. Deviation	Paired differences		t	df	Sig.(2-tailed)
		Std. Error	95% CI Lower Upper			
0.800	0.664	0.121	0.552 1.048	6.595	29	0

Materials and Methods

This study used a quasi-experiment design. The population in this study were 21 integrated healthcare center (*Posyandu*) cadres in Lumajang Regency, especially Bondoyudo Village, Lumajang Regency, which is an agro-nursing area. Sampling was carried out in total sampling. The variables used in this study are the independent variable and the dependent variable. The dependent variable in this research was the *Posyandu* cadres in the village. Meanwhile, the independent variables were age, knowledge, and length of service as *Posyandu* cadres. The measuring tool used in this study is a survey method and questionnaire. The data were analyzed using paired sample t-test.

Results

Based on Table 1 regarding the research results, it was found that the average age of *Posyandu* cadres ranged from 20-40 years with a proportion of 56.7%, the average last education attained by *Posyandu* cadres was the high school with a proportion of 63.3%. The majority of the work of the cadres are teachers with a proportion of 46.7%. The average length of service for *Posyandu* cadres is more than 10 years with a proportion of 53.3%.

Based on Table 2, the value of Sig.2-tailed = 0.000, $\alpha = 0.05$ indicated that there was differences in the ability of cadres before and after empowering cadres.

Discussion

The results showed differences in the ability of cadres before and after empowering cadres. The enhanced abilities of cadres can be attributed to various factors, such as the empowerment methods employed, the emergence of new diseases, and the support extended by the community, health workers, and the government. Additional influential factors encompass age, education, employment, and length of service. Age is a primary factor influencing these differences. This aligns with the overall age distribution of cadres, ranging from 20 to 40 years. Knowledge is acquired through various means, including tradition, authority in the field, experience, trial and error, and the application of the scientific method.²¹ As individuals mature, their level of maturity and mental strength increases, impacting their thinking and work. Age significantly influences comprehension and mindset; as individuals age, their understanding and perspective tend to develop, leading to an improvement in the knowledge acquired. This enhancement is a result of the experiences and maturity of the individual.²¹ Productivity in workers is also influenced by age. Generally, productive individuals in the workforce are physically stronger than their non-productive counterparts. As age increases, however, work productivity tends to decrease.²² Older individuals, in partic-

ular, exhibit lower productivity due to a decline in physical strength and exertion in old age.²³ Furthermore, the study demonstrates that empowering cadres positively impacts their abilities, with age being a significant factor influencing both knowledge acquisition and work productivity.

The second influential factor was education, aligning with the prevalent educational background of cadres as high school graduates. This is in line with previous studies showed a significant relationship between the level of knowledge and the behavior of *Posyandu* cadres.^{24,25} Education not only increase knowledge, but improve work skills, thus increase work productivity.²⁶ The education of cadres serves as a foundation for shaping, preparing, and enhancing competencies in executing *Posyandu* activities. Research indicates a noteworthy correlation between education and cadre skills, revealing that cadres with a high school education or higher possess a 3.96 times greater likelihood of having proficient skills.²⁷ Education, as a deliberate effort, plays a pivotal role in molding an individual's behavior to effectively address challenges. The educational level of individuals, particularly cadres in both villages and cities, profoundly influences their receptivity to new programs. In the specific context of the toddler growth and development monitoring program, individuals with higher levels of education, especially cadres, are more inclined to embrace and facilitate the adoption of novel programs and innovations within the community.²⁸ Therefore, a cadre's elevated educational attainment serves as a catalyst for the seamless acceptance and integration of new initiatives into society.

The third factor was work and length of work. This is consistent with the frequency of cadres who work as teachers and worked for more than 10 years. Cadres who have worked for a long time have better knowledge than cadres who do not work.²⁷ Someone who works has the possibility to interact with colleagues, exchange information and motivate each other, this can add insight into knowledge and related information. Someone who works has the possibility to interact with colleagues, exchange information and motivate each other, this can add insight into knowledge and related information. Someone who is not working may spend more time at home, doing household activities or personal matters so there are fewer opportunities to interact with other people.²⁹

Health promotion provides benefits to participants, because by knowing the cause's hepatitis for clients, if there are family members suffering from the same disease, family members and clients are ready to face the worst risks of hepatitis and its complications. By knowing about hepatitis A, it is hoped that clients will be able to prepare themselves with the prevention and the treatment, namely: provision of safe food and clean water, an effective waste disposal system, pay attention to general hygiene, wash hands, use catheters, disposable syringes and syringes and always maintain the best condition of the body.³⁰ Based on research, respondents with low knowledge are at risk of getting hepatitis A as much as 5.96 times compared to highly knowledgeable respondents.³¹ The results of this study were in accordance with the theoretical review which says that good knowledge is needed to behave healthily to facilitate the realization of healthy behavior.³²

Conclusions

Increasing the knowledge of *Posyandu* cadres can be done by empowering cadres. The empowerment of cadres plays a crucial role in preventing, detecting early, and reducing cases of acute hepatitis in children within agronursing areas. By empowering

Posyandu cadres, it becomes possible to extend more targeted and close-knit educational initiatives to the community. This is particularly significant for families engaged in the proactive prevention of childhood hepatitis. Empowering *Posyandu* cadres serves as an effective means to disseminate education within the community, focusing on specific aspects and ensuring a closer reach to families actively involved in safeguarding against childhood hepatitis.

References

1. WHO. Severe acute hepatitis of unknown aetiology in children - Multi-country No Title [Internet]. 2022. Available from: <https://www.who.int/emergencies/disease-outbreak-news/item/2022-DON400>
2. Hadikusumo AA, Utsumi T, Amin M, et al. High rates of hepatitis B virus (HBV), hepatitis C virus (HCV), and human immunodeficiency virus infections and uncommon HBV genotype/subtype and HCV subtype distributions among transgender individuals in Surabaya, Indonesia. *Jpn J Infect Dis* 2016;69:493–9.
3. Youssef A, Yano Y, El-Sayed Zaki M, et al. Characteristics of hepatitis viruses among Egyptian children with acute hepatitis. *Int J Oncol* 2013;42:1459–65.
4. Clayton M. Severe acute hepatitis in children. *Gastrointest Nurs* 2022;20:s4.
5. Yamani LN, Yano Y, Utsumi T, et al. Ultradeep sequencing for detection of quasispecies variants in the major hydrophilic region of hepatitis b virus in Indonesian patients. *J Clin Microbiol* 2015;53:3165–75.
6. Lusida MI, Juniastuti, Yano Y. Current hepatitis B virus infection situation in Indonesia and its genetic diversity. *World J Gastroenterol* 2016;22:7264–74.
7. Putri NAS, Maimunah U, Aswin RH, et al. Quality of Life of Chronic Hepatitis B Patients Consuming Nucleoside Analog: A Case-Control Clinical Study in Indonesia. *Biomol Heal Sci J* 2021;5:6–10.
8. Abubakar M, Kandandapani S, Mohamed SB, et al. Shedding light on the molecular interaction between the Hepatitis B virus inhibitor, clevudine, and human serum albumin: Thermodynamic, spectroscopic, microscopic, and in silico analyses. *J Mol Liq* 2022;368.
9. Abubakar M, Mohamed SB, Abd Halim AA, Tayyab S. Use of computational and wet lab techniques to examine the molecular association between a potent hepatitis C virus inhibitor, PSI-6206 and human serum albumin. *Spectrochim Acta - Part A Mol Biomol Spectrosc* 2023;294.
10. Pratama BA. Literature Review: Identifikasi Penyebab Hepatitis Literature Review: Causes Identification ' S Acute. *J Ilmu Kesehat* 2022;10:63–75.
11. Harapan H, Fajar JK, Supriono S, et al. The prevalence, predictors and outcomes of acute liver injury among patients with COVID-19: A systematic review and meta-analysis. *Rev Med Virol* 2022;32(3).
12. Zheng N, Wang Y, Rong H, et al. Human Adenovirus Associated Hepatic Injury. *Front Public Heal* 2022;10:4–5.
13. Marsepa E, Kusumastuti NA, Mufroka O, et al. Komunikasi, informasi, dan edukasi tentang hepatitis akut pada anak. *JMM (Jurnal Masy Mandiri)* 2023;7:390–7.
14. Badan Litbangkes Kementrian Kesehatan RI. FACT SHEET : Kejadian Hepatitis Yang Belum Diketahui Etiologi Nya | Badan Penelitian dan Pengembangan Kesehatan. Badan

- Kebijakan Pembangunan Kesehatan. 2022.
15. Dinas Kominfo Provinsi Jawa Timur. Jatim Waspada! Hepatitis Akut Tanpa Etiologi, Gubernur Khofifah Imbau Masyarakat Jangan Panik Tetapi Sigap Lihat Gejalanya- Dinas Komunikasi dan Informatika Provinsi Jawa Timur. Dinas Kominfo Provinsi Jawa Timur; 2022.
 16. Marsh K, Tayler R, Pollock L, et al. Investigation into cases of hepatitis of unknown aetiology among young children, Scotland, 1 January 2022 to 12 April 2022. *Euro Surveill Bull Eur sur les Mal Transm = Eur Commun Dis Bull* 2022;27(15).
 17. Sallam M, Mahafzah A, Şahin GÖ. Hepatitis of Unknown Origin and Etiology (Acute Non HepA-E Hepatitis) among Children in 2021/2022: Review of the Current Findings. *Healthc* 2022;10(6).
 18. Syah SMM. Acute Viral Hepatitis Caused By Hepatitis A Virus in Children. *Medula* 2014;2:118–26.
 19. Setyowati D, Mubawadi T, Mirasa YA, et al. Molecular epidemiology of hepatitis a outbreaks in two districts in Indonesia in 2018: Same subtype, but different strains. *Biomed Reports* 2020;12:1–8.
 20. Kementerian Kesehatan. Infeksi Emerging Kementerian Kesehatan RI. Infeksi Emerging; 2021.
 21. Retna TP, Wahyurianto Y, Jannah R, Sri Wahyuni Prodi III Keperawatan Kampus Tuban Poltekkes Kemenkes Tuban ND. Pengetahuan Masyarakat Tentang Penyakit Hepatoma. *J Keperawatan* 2014;7:143–9.
 22. Astutia MD, Mintasih S. The effectiveness of Comparison of the Use of the Kuesioner Pra Skrining Perkembangan (KPSP) with Dincer II on Development Children aged 0-72 Months in the Dadok Primary Health Center Work Padang. *Indones Nurs Sci J* 2021;11:114–21.
 23. Ukkas I. Faktor-Faktor Yang Mempengaruhi Produktivitas Tenaga Kerja Industri Kecil Kota Palopo. *Kelola J Islam Educ Manag* 2017;2(2).
 24. Elisabet BM, Ayubi D. Hubungan Pengetahuan, Sikap dengan Perilaku Kader *Posyandu* dalam Pelaksanaan Pemberian Vitamin A di Jakarta Timur. *J Ilm Kesehat* 2021;13:1–12.
 25. Olvin SL, Mundagi K FC, Adisti RA. Hubungan Antara Pengetahuan Dan Dukungan Keluarga Dengan Keaktifan Kader *Posyandu* Di Wilayah Kerja Puskesmas Tanahwangko Kecamatan Tombariri. *Kesmas* 2019;8:8.
 26. Agustina F, Syahril E, Andayani LS. Social and Cultural Factors that Influence Early Marriage at the Age Of 15-19 Year in The Village Harbor Town Martubung Subdistrict Field in 2014 Working Area Rejo Kec . Medan Labuhan Hosts Martubung 2014. *Kebijakan, Promosi Kesehat dan Biostatistik* 2015;1:1–10.
 27. Hidayati U. Hubungan Antara Pendidikan Dan Masa Kerja Dengan Keterampilan Kader *Posyandu* Dalam Menimbang Balita Menggunakan Dacin Di. *J Komun Kesehat* 2021;(1).
 28. Nurhidayah I, Hidayati NO, Nuraeni A. Revitalisasi *Posyandu* melalui Pemberdayaan Kader Kesehatan. *Media Karya Kesehat* 2019;2:145–57.
 29. Wulansih R. Hubungan Umur, Pendidikan dan Pekerjaan dengan Tingkat Pengetahuan Kader Nasyyatul Aisyiyah tentang Stunting Di Kabupaten Boyolali. *J Kesehat Masy* 2021;23:1–15.
 30. Mardhiyah A, Mediani HS, Rahayuwati L. Promosi Kesehatan Kepada Orang Tua Mengenai Perilaku Hidup Bersih dan Sehat untuk Mencegah Hepatitis A pada Anak. *Media Karya Kesehat* 2019;2:61–73.
 31. Sakti AP. Hubungan Pengetahuan, Sikap, dan Praktik Pencegahan Hepatitis A dengan Kejadian Hepatitis A pada Siswa SMAN 4 Depok 2012. *Skripsi*. 2012.
 32. Davis R, Campbell R, Hildon Z, Hobbs L, Michie S. Theories of behaviour and behaviour change across the social and behavioural sciences: a scoping review. *Health Psychol Rev* 2015;9:323–44.