Healthcare in Low-resource Settings



elSSN: 2281-7824

https://www.pagepressjournals.org/index.php/hls/index

Publisher's Disclaimer. E-publishing ahead of print is increasingly important for the rapid dissemination of science. The **Early Access** service lets users access peer-reviewed articles well before print / regular issue publication, significantly reducing the time it takes for critical findings to reach the research community.

These articles are searchable and citable by their DOI (Digital Object Identifier).

The **Healthcare in Low-resource Settings** is, therefore, e-publishing PDF files of an early version of manuscripts that undergone a regular peer review and have been accepted for publication, but have not been through the typesetting, pagination and proofreading processes, which may lead to differences between this version and the final one.

The final version of the manuscript will then appear on a regular issue of the journal.

E-publishing of this PDF file has been approved by the authors.

Healthc Low-resour S 2024 [Online ahead of print]

To cite this Article:

Hafshejani EF, Gholami-Ahangaran M, Sami M. The detection of fowl adenovirus in chickens with hydropericardium syndrome in Isfahan and Charmahal-Va-Bakhtiyari provinces, Iran. *Healthc Low-resour S* doi: 10.4081/hls.2024.10353

CThe Author(s), 2024

Licensee PAGEPress, Italy

Note: The publisher is not responsible for the content or functionality of any supporting information supplied by the authors. Any queries should be directed to the corresponding author for the article.

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article or claim that may be made by its manufacturer is not guaranteed or endorsed by the publisher.



Improving flipped classroom learning for patients with diabetes mellitus: an exploration into the influence of educational factors

Suyanto,^{1,2} Tintin Sukartini,² Ferry Efendi,² Muhammad Arifin Noor,¹ Ahmad Ikhlasul Amal,¹ Indah Sri Wahyuningsih,¹ Dwi Retno Sulistyaningsih,¹ Wigyo Susanto,¹ Abrori¹

¹Faculty of Nursing, Universitas Islam Sultan Agung, Semarang; ²Faculty of Nursing, Universitas Airlangga, Surabaya, Indonesia

Correspondence: Suyanto, Faculty of Nursing, Universitas Airlangga, Surabaya, Indonesia. E-mail: <u>suyanto-2020@fkp.unair.ac.id</u>

Key words: diabetes mellitus, education, flipped classroom.

Contributions: SS, conceptualization, data curation, formal analysis, methodology, validation, visualization, writing – original draft, review and editing; TS, conceptualization, investigation, methodology, validation, and writing – original draft, review and editing; FE, conceptualization, methodology, formal analysis, validation, and writing – original draft, review & editing; TF, methodology, visualization, writing – review and editing; AIA, WS, AB, resources, investigation, and writing –review and editing; ISW, formal analysis, validation, writing – review and editing; DRS, resources, supervision. All the authors have read and approved the final version of the manuscript and agreed to be held accountable for all aspects of the work.

Funding: none.

Conflict of interest: the authors declare no potential conflict of interest.

Ethics approval and consent to participate: the research has received ethical approval from the Health Research Ethics Commission, Faculty of Nursing, Universitas Airlangga, based on ethical certificate No.390/A.1-KEPK/FIK-SA/VIII/2022. During the research, the researcher pays attention to the ethical principles of information to consent, respect for human rights, beneficence, and non-maleficence.

Patient consent for publication: written informed consent was obtained for anonymized patient information to be published in this article.

Availability of data and materials: all data generated or analyzed during this study are included in this published article.

Acknowledgment: this article is supported by the head of Bangetayu and Tlogosari Kulon Public Health Center, Semarang City.

Abstract

Patients with diabetes often lack the necessary knowledge, leading to inadequate behavior in preventing wounds. To overcome the limitations of traditional learning methods, it is crucial to adopt the flipped classroom approach for effectively educating diabetic patients about wound

prevention. This study aimed to explore the relationship between the environment, learning infrastructure, and the flipped classroom learning method among patients with Diabetes Mellitus (DM). Employing a cross-sectional design, the study encompassed patients with DM aged 40-55 years from both genders. A total of 120 patients were selected through purposive sampling techniques. The variables investigated included education factors and the flipped classroom method, which were assessed using a modified questionnaire developed by the researchers and validated for reliability. Data analysis was conducted utilizing Spearman rank analysis. Concerning education factors, 80% of the participants reported having a supportive environment, while 82.5% indicated having access to good learning infrastructure. Regarding the flipped classroom method, 35.8% of the respondents stated that its application in educating patients with DM in the community was effective. There was a statistically significant relationship between the environment and infrastructure and the flipped classroom approach in patients with DM (p-value<0.05). Enhancing educational factors such as the environment and infrastructure can improve the effectiveness of the flipped classroom method in educating patients with DM. Moreover, promoting health literacy could further enrich the learning experience for diabetic patients, ultimately bettering their behavior and management of the condition. Future research on the flipped classroom learning approach for DM should focus on patient engagement and cultural adaptation to improve overall patient outcomes and the effectiveness of the healthcare system.

Introduction

Diabetes Mellitus (DM) is a chronic metabolic disease characterized by elevated blood glucose or blood sugar levels.¹ Access to affordable treatment and community support, as well as

learning opportunities outside the traditional classroom setting, are crucial for the well-being of individuals with diabetes.² Learning activities should be tailored to provide a personalized learning experience, fostering ownership, achievement, and creativity among participants.^{3,4} The flipped classroom model, which categorizes participants based on their learning styles, is employed in teaching diabetes management, transforming traditional learning into a more interactive approach that enhances patients' understanding of their condition.^{5,6} Research indicates that the use of flipped classrooms significantly increases knowledge among patients.⁷ This approach emphasizes openness, feedback on experiences, and the collaboration of interdisciplinary groups of learners and experts within the community.⁸⁻¹⁰

Four hundred and twenty-two million people worldwide have diabetes, and 1.5 million die annually.¹¹ Indonesia ranks 6th out of the ten countries with the highest number of DM patients, which is expected to increase to 16.7 million patients per year by 2045.¹² The prevalence of DM in Central Java was 13.4% in 2019. A preliminary study conducted at the Mranggen III Health Center revealed that at least 64 patients had DM between January and June 2019.¹³ In the city of Semarang, only 58% of patients with DM received regular foot care, 55% did not wear appropriate footwear, only 55% used moisturizer once a month, and only 39% practiced foot washing once a week.¹⁴ These statistics highlight a critical gap in self-management practices among diabetic patients, underscoring the urgent need for improved education and support to prevent complications and enhance quality of life for those living with this condition.^{15,16}

Flipped classrooms are an endeavor to develop a comprehensive educational program, increase information accessibility, and serve as an important component in expanding access to quality health services for DM patients.¹⁷ This method offers learning approaches that provide in-depth explanations of diseases, symptoms, risk factors, and management, which can aid patients in making informed decisions.¹⁸ Furthermore, flipped classrooms assist patients in

comprehending learning materials by employing methods that prioritize discussion, critical thinking, problem-solving, and practical approaches.¹⁹ The findings reveal that the contributions of flipped classrooms significantly impact knowledge acquisition and team effectiveness, playing a pivotal role in the learning context and serving as a significant mediator.²⁰ Thus, DM patients can take charge of their learning and engage when they desire, according to their schedule and personal preferences.²¹ Components such as motivation, metacognition, help-seeking behavior, time management, and learning strategies are involved in self-directed learning. The results indicate a positive relationship between student motivation and academic achievement, with students demonstrating high self-efficacy and intrinsic value tending to achieve strong academic performance.^{22,23}

This strategy can increase motivation and foster a sense of responsibility towards understanding and managing DM. Additionally, learning materials provide opportunities for patients to pose more in-depth and relevant questions when interacting with health professionals or fellow patients.²⁴ This notion is supported by research demonstrating an improvement in developing self-learning strategies and engaging in deep and active learning.²⁵ Some experts argue that a flipped classroom places students at the center of the learning process. This system enables students to independently access knowledge sources outside the classroom, such as recorded teaching videos and online teaching materials, with in-class time devoted to practice.^{26,27} However, patients with vision, hearing, or other impairments may face challenges in fully utilizing these learning materials.²⁸

The flipped classroom approach represents a shift from traditional classroom learning to outside-the-classroom learning during face-to-face meetings.²⁹ This approach demands personal motivation and discipline from patients to consistently engage with learning material, particularly when they may feel less challenged or isolated.³⁰ Nevertheless, several obstacles hinder the application of flipped classrooms in DM patients within the community, including

limited technology accessibility requiring digital literacy skills, time constraints, diverse learning styles, and the need for family and environmental support. The absence of direct supervision can also diminish the effectiveness of this approach.^{31,32} Conversely, the use of a flipped classroom facilitates learning from anywhere and encourages more active, interdisciplinary learning in specific health topics, demonstrating a significant impact.^{8,33} Another obstacle to the use of a flipped classroom approach in DM patients within the community is the low level of medical literacy and inadequate environment and infrastructure.³⁴ DM patients require support from their family and surrounding environment to comprehend and apply information in a flipped classroom approach, as a lack of support can impede learning effectiveness.³⁵ This lack of support may lead to difficulties in understanding complex information, variations in learning styles, and limited cognitive abilities.³⁶ This study aimed to examine the correlation between educational factors and the flipped classroom method in DM patients.

Materials and Methods

Research design

This research employed a cross-sectional approach to analyze the factors influencing the use of the flipped classroom method in DM education.

Study participants

Researchers investigated DM with a sample size of 120 respondents, following the rule of thumb for sample size calculation based on 24 indicators. The study employed nonprobability sampling, specifically a purposive sampling method. Inclusion criteria involved participants aged 40-55, both genders, diagnosed with DM, having a specific level of consciousness, and possessing the ability to read, write, hear, and see well. This targeted approach allowed

researchers to focus on a relevant subgroup for their objectives. The study's design aimed to provide valuable insights into the selected population's characteristics and experiences.

Variable, instrument, and data collection

Independent variables consisted of demographic factors (age, gender, education, occupation, and length of diabetes) and the education factor (environment and infrastructure). The dependent variable consisted of the flipped classroom method in foot care education (educational materials and educational methods). The environment was assessed as the physical surroundings influencing the learning process. Infrastructure was evaluated as the available resources supporting educational activities. The flipped classroom method in foot care education in foot care education consisted of educational materials that included the quality and effectiveness of the materials used in foot care education. Educational methods were perceived to be effective in teaching approaches within the flipped classroom model.

The research instrument questionnaire for educational factors and flipped classroom used a structured set of questions utilizing a 4-point Likert scale (4 = strongly agree, 3 = agree, 2 = disagree, 1 = strongly disagree). The data collection process involved the distribution of the validated questionnaire to participants. Participants were asked to provide responses based on their experiences and perceptions regarding demographic factors, environmental conditions, infrastructure, and the effectiveness of the flipped classroom method in foot care education. Responses were recorded using the 4-point Likert scale. The collected data were then subjected to analysis to explore relationships and patterns among variables, providing insights into the impact of demographic and environmental factors on the success of the flipped classroom approach in foot care education. Data was collected in September until November 2022 in the Health Center in Semarang, Indonesia.

Data analysis

Data analysis aimed to explain and describe the characteristics and relationships between research variables. Research data on independent and dependent variables was on an ordinal scale, so a frequency distribution was used. Bivariate analysis was used to determine the relationship between educational factors and the flipped classroom. The analytical test used to determine the relationship between these two variables was ranked Spearman with a significant level of 5%.

Ethical clearance

The research received ethical approval from the Health Research Ethics Commission, Faculty of Nursing, Universitas Islam Sultan Agung, based on ethical certificate No.390/A.1-KEPK/FIK-SA/VIII/2022. Informed consent was taken before collecting data. During the research, the researcher paid attention to the ethical principles of information to consent, respect for human rights, beneficence, and non-maleficence.

Results

The demographic analysis of the study reveals a predominant population of participants aged 46-65, categorized as the early elderly group (70.8%), primarily female (56.7%), with elementary education (56.7%), and having a diabetes duration of less than 5 years (62.5%). Further details of these results are explained in Table 1.

From the independent and dependent variables, it was observed that 80% of participants perceived the environment as good, 82.5% perceived the infrastructure as good, and 35.8% perceived the flipped classroom as effective. The study suggests positive perceptions among participants regarding the educational environment and infrastructure, although a

comparatively lower percentage recognizes the effectiveness of the flipped classroom method. Further detailed results are provided in Table 2.

The Spearman rank analysis test results show that the p-value is < 0.05, indicating a significant influence of the independent variables on the dependent variable. This analysis reveals a statistically significant association between the independent variables and the dependent variable, emphasizing their impactful relationship.

Discussion

Flipped classrooms offer flexibility and facilitate learning based on the latest evidence, employing interactive and effective teaching strategies within the community. Research findings confirm that both the environment and infrastructure significantly influence the implementation of flipped classrooms in the community (p-value<0.05). Over the past decade, there has been a growing interest in flipped classrooms, which are widely accepted as an interactive pedagogical strategy.^{37,38} Empirical evidence suggests that implementing flipped classrooms is more effective than traditional methods and has garnered positive feedback within the educational environment.³⁹ This approach to learning promotes personal interaction, enhances situational awareness, and fosters the application of critical thinking skills and cognitive education.

Thirty-five point eight percent of the implementation of the flipped classroom in the community was reported to be successful. Support from the home environment, including family support and commitment to learning, plays a crucial role. A study conducted in Oman concluded that the flipped classroom method serves as a valuable tool and a motivational factor for effective learning. Moreover, the flipped classroom method has led to a shift in learning approaches towards more flexible, effective, active, and person-centered teaching strategies.⁴⁰ Research conducted in China demonstrated that the flipped classroom fosters active

participation and knowledge sharing and contributes to effective student learning.⁴¹ Similarly, research in Switzerland suggests that the flipped classroom can be adapted for online teaching and assessment sessions, emphasizing its utility as a motivational factor for effective learning, understanding, and retention of conceptual and factual content.⁴²

Educational factors play a crucial role in influencing the level of independence and engagement of patients in learning. Patients who are independent and actively involved tend to adapt more successfully to the flipped classroom model. Moreover, there exists a significant positive correlation between home environmental factors and an individual's cognitive level.³⁸ The home environment facilitates flexible implementation of classes, with 80% reported to be supportive, committed, and providing adequate study spaces.³⁹ Both online and offline learning environments significantly impact learning outcomes, with the home environment for DM patients fostering increased interaction and enthusiasm for studying the provided material, consequently enhancing their knowledge and skills.⁴³

Infrastructure, as an integral part of the home environment, influences comfort, safety, and functionality, with 82.5% of infrastructure in flipped classroom implementation reported to be of good quality.⁴⁴⁻⁴⁶ This enhances the creation of a comfortable, safe, and conducive home environment. Additionally, research underscores the close relationship between the home environment and infrastructure, emphasizing the importance of a well-equipped home environment in addressing health issues, including those related to DM. Moreover, the rapid dissemination of collective wisdom from leading expert organizations highlights the significance of public health.^{46,47}

The level of health literacy plays a pivotal role in enabling DM patients to comprehend the material and undertake appropriate actions based on the provided information.⁴⁸ Consequently, additional support is essential, encompassing technical assistance, program enhancements, and

healthcare provider engagement.⁴⁹ Moreover, ongoing evaluation of the impact of educational factors on the utilization of the flipped classroom method is imperative. However, certain limitations, such as technology accessibility, digital literacy skills, and time constraints, may impede the adaptation of this approach to society.⁵⁰ To address these challenges, a creative learning style is required, considering diverse backgrounds, educational levels, and comprehension abilities. Furthermore, family support and active involvement in the process are crucial to bolstering the effectiveness of this approach.

Conclusions

The success of the flipped classroom learning method in DM education depends on a supportive environment and infrastructure. Essential components include access to digital learning materials, technological resources, and a conducive physical classroom setting. Interactive tools, professional support, and continuous assessment play pivotal roles in enhancing the effectiveness of this approach. Furthermore, incorporating cultural sensitivity and promoting health literacy enrich the learning experience for diabetes patients, ultimately improving their behavior and management of the condition. Future research on flipped classroom learning for DM should prioritize patient engagement and cultural adaptation to enhance overall patient outcomes and the effectiveness of the healthcare system.

References

1. Mboi N, Syailendrawati R, Ostroff SM, et al. The state of health in Indonesia's provinces, 1990–2019: a systematic analysis for the Global Burden of Disease Study

2019. Lancet Glob Heal 2022;10:e1632-45.

- Hwei LK. Impact of professional learning communities on teacher professional development in Oman. Malaysian Online J Educ Manag 2015;3:1-23.
- Lameras P, Moumoutzis N. Towards the gamification of inquiry-based flipped teaching of mathematics: a conceptual analysis and framework. 2015. Available from: https://ieeexplore.ieee.org/document/7359616
- Govindaraj A, Silverajah VSG. Blending flipped classroom and station rotation models in enhancing students' learning of physics. 2017. Available from: https://dl.acm.org/doi/abs/10.1145/3175536.3175543
- Cam A, Arslan HO, Cigdemoglu C, et al. Flipped learning model learning style interaction: supporting pre-service teachers on science teaching methods and personal epistemologies. Sci Educ Int 2022;33:323-34.
- Zante B, Hautz WE, Schefold JC. Physiology education for intensive care medicine residents: a 15-minute interactive peer-led flipped classroom session. PLoS One 2020;15.
- 7. Maxwell KL, Wright VH. Evaluating the effectiveness of two teaching strategies to improve nursing students' knowledge, skills, and attitudes about quality improvement and patient safety. Nurs Educ Perspect 2016;37:291-2.
- Tuncer D, Charalambides M. Educational panel experiences with MOOCs and flipped classrooms. In: Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics). 2016.
- 9. Shaw R, Patra BK. Cognitive-aware lecture video recommendation system using brain

signal in flipped learning pedagogy. Expert Syst Appl 2022;207.

- Sheik Abdullah A, Karthikeyan P, Selvakumar S, Parkavi R. A strategic approach in handling information retrieval course for attaining course outcomes - A case study. J Eng Educ Transform 2021;34:148-53.
- World Health Organization (WHO). Report of the fourth meeting of the WHO Technical Advisory Group on Diabetes. 2023. Available from: https://www.who.int/southeastasia/publications/i/item/9789240071421
- Kemenkes RI. Profil Kesehatan Indonesia. Kementrian Kesehatan Republik Indonesia;
 2021. Available from: https://kemkes.go.id/id/profil-kesehatan-indonesia-2022
- Dinas Kesehatan Provinsi Jawa Tengah. Profil Kesehatan Provinsi Jateng Tahun 2019.
 Dinas Kesehat Provinsi Jawa Teng 2019;3511351:273-5.
- Hardianti D, Adi MS, Saraswati LD. Description of factors related to severity of Diabetic Mellitus patient type 2 (Study in Rsud Kota Semarang). J Kesehat Masy 2018;6:132-40.
- 15. Sukartini T, Nursalam N, Pradipta RO, Ubudiyah M. Potential methods to improve selfmanagement in those with type 2 diabetes: a narrative review. Int J Endocrinol Metab 2023;21.
- Akoit EE, Efendi F, Dewi YS. Impact of diabetes self-management education in middleaged patients with type 2 diabetes mellitus: a systematic review. Gac Med Caracas 2022;130:S1183-95.
- 17. Dong Y, Yin H, Du S, Wang A. The effects of flipped classroom characterized by situational and collaborative learning in a community nursing course: a quasi-

experimental design. Nurse Educ Today 2021;105.

- Wassinger CA, Owens B, Boynewicz K, Williams DA. Flipped classroom versus traditional teaching methods within musculoskeletal physical therapy: a case report. Physiother Theory Pract 2022;38:3169-79.
- Sezer TA, Esenay FI. Impact of flipped classroom approach on undergraduate nursing student's critical thinking skills. J Prof Nurs 2022;42:201-8.
- 20. Lin CY, Huang CK. Understanding the antecedents of knowledge sharing behaviour and its relationship to team effectiveness and individual learning. Australas J Educ Technol 2020;36.
- Limniou M, Schermbrucker I, Lyons M. Traditional and flipped classroom approaches delivered by two different teachers: the student perspective. Educ Inf Technol 2018;23:797-817.
- 22. McKeirnan KC, Colorafi K, Kim AP, et al. Study behaviors associated with student pharmacists' academic success in an active classroom pharmacy curriculum. Am J Pharm Educ 2020;84:1-11.
- 23. Qin J, Jia Z. Learner-generated behaviours in a flipped learning: a focus on computer culture foundation course. Int J Contin Eng Educ Life-Long Learn 2020;30:1-14.
- Tanzeh A, Fadhilah DA, Chotimah C, et al. The importance of improving education quality and principal leadership in improving school competitiveness. Malaysian Online J Educ Manag 2021;9:17-31.
- 25. McLean S, Attardi SM, Faden L, Goldszmidt M. Flipped classrooms and student learning: Not just surface gains. Adv Physiol Educ 2016;40:47-55.

- 26. Pugsee P. Effects of using flipped classroom learning in object-oriented analysis and design course. 2017. Available from: https://ieeexplore.ieee.org/document/8074130
- 27. Silberg J, Bennick M, Caverzagie K, Richards S. How do health systems approach patient experience? Development of an innovative elective curriculum for medical students. Patient Exp J 2020;7:105-9.
- Steinberg FM, Batchelor-Murphy MK, Young HM. Supporting family caregivers: no longer home alone: eating for healthy aging. Am J Nurs 2019;119:43-51.
- Ito A, Isohama Y, Watanabe K. Comparison of flipped and traditional lecture-based classrooms for Kampo (traditional Japanese medicine) education in a medical school. Int J Educ Res Open 2022;3:100156.
- Sullivan-Bolyai S. Familias apoyadas: latino families supporting each other for diabetes care. J Pediatr Nurs 2009;24:495-505.
- 31. Juul L, Rowlands G, Maindal HT. Relationships between health literacy, motivation and diet and physical activity in people with type 2 diabetes participating in peer-led support groups. Prim Care Diabetes 2018;12:331-7.
- 32. De Arruda GO, Marcon SS, Aveiro HEP, et al. Effects of self-care supported by nurses in men with type 2 Diabetes Mellitus. Rev Baiana Enferm 2022;36.
- Songsangyos P, Kankaew S, Jongsawat N. Learners' acceptance toward blended learning. 2016. Available from: https://ieeexplore.ieee.org/document/7556085
- 34. Fitzgerald N, Morgan KT, Slawson DL. Practice paper of the academy of nutrition and dietetics abstract: the role of nutrition in health promotion and chronic disease prevention. J Acad Nutr Diet 2013;113:983.

- 35. Hultsjö S, Hjelm K. Community health-care staff's experiences of support to prevent type 2 diabetes among people with psychosis: an interview study with health staff. Int J Ment Health Nurs 2012;21:480-9.
- Youssef GA. 2019 health care & education presidential address: It's all about access!
 Diabetes Care 2021;44:1-7.
- Pulukuri S, Abrams B. Improving learning outcomes and metacognitive monitoring: replacing traditional textbook readings with question-embedded videos. J Chem Educ 2021;98:2156-66.
- De Villiers R, Hess AC. Melding traditional and progressive andragogy in marketing education, using the hermeneutic competency development strategy. Australas Mark J 2018;26:140-56.
- 39. Mottaghi NR, Talkhabi M. Comparative study of Iran and the UK national curriculum based on the principles of mind, brain and education. J Curric Teach 2019;8:46-57.
- 40. Shatto B, L'Ecuyer K, Quinn J. Retention of content utilizing a flipped classroom approach. Nurs Educ Perspect 2017;38:206-8.
- 41. Wang X, Dong L, Lyu W, Geng Z. Teaching health assessment symptomatology using a flipped classroom combined with scenario simulation. J Nurs Educ 2020;59:448-52.
- 42. Soares F, de Moura Oliveira PB, Leão CP. Your turn to learn flipped classroom in automation courses. Available from: https://repositorium.sdum.uminho.pt/handle/1822/70949
- Park EO, Park JH. Quasi-experimental study on the effectiveness of a flipped classroom for teaching adult health nursing. Japan J Nurs Sci 2018;15:125-34.

- 44. Volodina A. Home learning environment and out-of-home activities: their relations to prosocial behaviour and peer relationships in primary school children. Curr Psychol 2022;0123456789.
- 45. Bomberg EM, Neuhaus J, Hake MM, Engelhard EM, Seligman HK. Food preferences and coping strategies among diabetic and nondiabetic households served by US food pantries. J Hunger Environ Nutr 2019;14:4-17.
- 46. Bobbink P, Teixeira CM, Charbonneau L, et al. E-Learning and blended-learning program in wound care for undergraduate nursing students. J Nurs Educ 2022;61:53-7.
- 47. Van Vliet MS, Schultink JM, Jager G, et al. The Baby's First Bites RCT: Evaluating a vegetable-exposure and a sensitive-feeding intervention in terms of child health outcomes and maternal feeding behavior during toddlerhood. J Nutr 2022;152:386-98.
- 48. Shin KS, Lee EH. Relationships of health literacy to self-care behaviors in people with diabetes aged 60 and above: empowerment as a mediator. J Adv Nurs 2018;74:2363-72.
- 49. Ha NT, Sinh DT, Ha LTT. The association of family support and health education with the status of overweight and obesity in patients with type 2 diabetes receiving outpatient treatment: evidence from a hospital in Vietnam. Heal Serv Insights 2021;14.
- 50. Aksoy B, Pasli Gurdogan E. Examining effects of the flipped classroom approach on motivation, learning strategies, urinary system knowledge, and urinary catheterization skills of first-year nursing students. Japan J Nurs Sci 2022;19.

Characteristic of respondents	Frequency		Percentage
Age	Adult (36-45 years)	35	29.2
	Early elderly (46-55 years)	85	70.8
Gender	Male	52	43.3
	Female	68	56.7
Length of Diabetes Mellitus	Under 5 years	nder 5 years 75	
	Over 5 years	45	37.5
Education	Elementary education	68	56.7
	Middle education	35	29.2
	High education	17	14.1

 Table 1. Characteristics of respondents (n=120).

Variables		Frequency	Percentage
Education factors			
Environment	Less	24	20
	Good	96	80
Infrastructure	Less	21	17.5
	Good	99	82.5
Flipped classroom	Less	25	20.8
	Enough	52	43.3
	Good	43	35.8

 Table 2. Description of research variable.

Submitted: 9 November 2023

Accepted: 21 March 2024

Early access: 17 April 2024