

# Recent advancements in meat traceability, authenticity verification, and voluntary certification systems

Mauro Conter

Department of Veterinary Science, University of Parma, Italy

## Abstract

The growing demand for transparency in the food industry has led to significant advancements in meat traceability. Ensuring the authenticity and origin of meat products is critical for consumer trust, public health, and compliance with regulations. This paper reviews recent innovations in meat traceability, with a focus on blockchain technology as a novel approach to ensuring traceability. Additionally, advanced methods for verifying meat authenticity and origin, such as isotope fingerprinting, DNA analysis, and spectroscopic methods, are discussed. The role of voluntary certification schemes in enhancing traceability and authenticity verification in the meat industry is also explored. The findings highlight the importance of integrating cutting-edge technologies and certification schemes to build a robust and transparent meat supply chain.

## Introduction

In the European Union (EU), food traceability is required by Regulation (EC) 178/2002 and is defined as the “ability to trace

and follow a food, feed, food-producing animal or substance intended to be, or expected to be incorporated into a food or feed, through all stages of production, processing and distribution” (European Parliament and Council of the European Union, 2002). Food business operators (FBOs) must be able to provide information to the competent authority on the supplier of food, feed or any substance incorporated into food and the identity of the customers’ businesses to which they have supplied their products. More severe rules for the traceability of meat products are required by Regulations (EC) 1760/2000 and 1337/2013 (European Commission, 2013), regarding the labeling of beef and beef products and the indication of the country of origin or place of provenance for fresh, chilled, and frozen meat of swine, sheep, goats, and poultry, respectively (European Parliament and Council of the European Union, 2000; European Commission, 2013).

Meat traceability is an essential aspect of food safety and quality control in the global supply chain. It allows for the quick identification and resolution of food safety issues, helps fight food fraud, and enables compliance with increasingly stringent regulatory requirements (Zhang *et al.*, 2020). In the last two decades, the meat industry has faced several challenges related to food fraud, adulteration, and mislabelling. High-profile scandals, such as the horsemeat scandal of 2013, where horsemeat was fraudulently labeled as beef, highlighted significant vulnerabilities in the supply chain and underscored the need for robust traceability systems. Indeed, traceability procedures are fundamental in maintaining the food chain integrity, concerning the way food items have been sourced, produced, and distributed. In this case, food fraud is related to quality attributes that are not perceivable by the consumer (Robson, 2021).

Traceability is a prerequisite to maintaining consumer trust, particularly in high-value markets where the authenticity of meat products represents the excellence of food production. Especially in the case of food authenticity, defined as the matching between the food product characteristics and the corresponding food product claims, a high level of efficiency in tracking and tracing food items is required both during the production processes as well as throughout the supply chain logistics (Biglia *et al.*, 2022). Consumer trust is particularly critical when it comes to high-value products like those with Protected Designation of Origin (PDO) and Protected Geographical Indication (PGI) status. These labels are used to protect the names of specific products to promote their unique characteristics, which are linked to their geographical origin and traditional methods of production [Regulation (EU) 2024/1143] (European Parliament and Council of the European Union, 2024). The authenticity of these products is heavily reliant on effective traceability systems, as any compromise in their traceability could damage their reputation and reduce consumer confidence (Bai *et al.*, 2021; Gaspar *et al.*, 2022). Moreover, as consumers become more conscious of food origins and ethical production practices, the demand for transparent and reliable traceability systems has grown (van Bussel *et al.*, 2022; Tran *et al.*, 2024).

Within this complex framework, the EU has developed com-

Correspondence: Mauro Conter, Department of Veterinary Sciences, University of Parma, Strada del Taglio 10, 43126 Parma, Italy. Tel.: +39 0521 902683. E-mail: mauro.conter@unipr.it

Key words: meat traceability, blockchain technology, artificial intelligence, isotope fingerprinting, certification schemes.

Conflict of interest: the author declares no potential conflict of interest.

Ethics approval and consent to participate: not applicable.

Availability of data and materials: not applicable.

Funding: none.

Received: 26 August 2024.

Accepted: 9 September 2024.

Early access: 15 November 2024.

This work is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0).

©Copyright: the Author(s), 2024

Licensee PAGEPress, Italy

Italian Journal of Food Safety 2025; 14:12971

doi:10.4081/ijfs.2024.12971

*Publisher's note: all claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article or claim that may be made by its manufacturer is not guaranteed or endorsed by the publisher.*

prehensive legislation to safeguard consumer rights. However, voluntary certification schemes offer more flexibility in addressing specific consumer demands for food quality and meeting the increased consumer awareness (Charlebois *et al.*, 2014). FBO are free to select from a variety of voluntary traceability programs, more detailed and with various degrees of complexity that can be implemented between these necessary regulations to meet consumer demands. To enhance traceability, the integration of advanced technologies, coupled with more rigorous certification processes and real-time data sharing across the supply chain, can offer a higher level of transparency and reliability, ultimately safeguarding both consumer trust and the integrity of European food products (Kendall *et al.*, 2019). Innovative solutions such as blockchain technology have been recently implemented to improve food traceability, and advanced analytical methods are now available for verifying the origin and authenticity of meat products. Voluntary certification schemes have also gained importance, providing manufacturers with an opportunity to differentiate their products and satisfy consumer demands for transparency.

This paper examines these advancements, focusing on blockchain technology, advanced analytical methods, and voluntary certification schemes, their benefits, drawbacks, and future perspectives.

---

## Innovative systems for meat traceability

A credible traceability system must be able to trace and track food and ingredients through all stages of production, processing, and distribution within a supply chain (Wang and Scrimgeour, 2023). However, traditional food traceability systems [*e.g.*, alphanumerical codes, barcodes, radio frequency identification (RFID) tags] are problematic: i) they only consider distribution and warehousing steps; ii) they do not consider if the information shared by supply chain members can be trusted; and iii) they are monopolistic, asymmetric and opaque information systems. These problems result in further challenges, such as fraud, corruption, tampering, and falsification of information (Tian, 2016). Emerging technologies such as the Internet of Things (IoT) and blockchain play a pivotal role in building intelligent, secure, and transparent food supply chain systems while addressing these issues.

IoT plays an important role in the digitization of supply chains by offering sensing, computation, and communication capabilities (Abdel-Basset *et al.*, 2018), allowing the stakeholders to gather real-time data about their operations from the field, and aiding artificial intelligence technology while enhancing transparency. IoT is a network of physical devices, machines, and other objects that use sensors and software to collect data and exchange it over the Internet, enabling remote monitoring and control. IoT architecture starts with an IoT device, a piece of technology that supports internet connectivity and is equipped with a sensor or means of measurement. An IoT device transmits sensor data automatically, without human or manual interruption, to an IoT platform. Through the use of the IoT and various sensors, such as the global positioning system, geographic information system, near-field communication, RFID, and temperature and humidity sensors, monitoring and information capturing can be improved in various processes, such as production, processing, storage, distribution, and retail (Nurgazina *et al.*, 2021; Sun *et al.*, 2021).

Several modern tracking and tracing methods have been deployed in the agriculture and food sectors. RFID and biometric identifiers have been developed for beef traceability from farm to slaughter (Shanahan *et al.*, 2009). RFID technology, together with

IoT sensors and quick response (QR) barcodes, has been implemented to track the physical flow of products through the supply chain to ensure regulatory compliance (George *et al.*, 2019). A more innovative method is the use of DNA barcoding on the product packaging to trace back to its origin (Clark, 2015). While these methods are subject to some limitations in the practical application, it shows that it is technically feasible to develop an integrated agricultural traceability system with new available technologies (Cao *et al.*, 2021). As these technologies do not address any verifiable process or control system, this creates a need for new traceable mechanisms that can enable the exchange of quality and reliable information between companies on a detailed level (Behnke and Janssen, 2020).

However, IoT-based food traceability systems are riddled with issues of data integrity, trust, authenticity, and security. Moreover, with IoT devices having limited computing power and storage capacity, tracing food sources and batches becomes time-consuming (Tripathi *et al.*, 2023). To address these issues, blockchain technology (BCT) has been proposed as a promising solution for enhancing meat traceability (Rejeb, 2018). A blockchain is a distributed immutable ledger that stores data as continuous chains of blocks in a decentralized network. Blocks are interlinked with the cryptographic hash value. Its application in the food industry, particularly in meat traceability, offers seamless authentication, privacy, security, transparency, and trustworthiness (Beck *et al.*, 2021). Besides, it also reduces the computational overhead of resource-constrained IoT devices. The tamper-resistant property of blockchain and its reliance on decentralized architecture make the technology more suitable for multi-stakeholder supply chain applications. Unlike centralized architectures that allow a single organization to run and manage the digital operations, including the control of the database, blockchain inherently follows a decentralized architecture by letting multiple organizations monitor and manage the supply chain through a shared and tamper-proof immutable ledger. By sharing the ledger among multiple organizations, blockchain-based decentralized platforms add redundancy to the system, which improves the resiliency of the system against failures and cyber-attacks and addresses many problems associated with fully centralized systems (Dedeoglu *et al.*, 2023).

In a blockchain-based traceability system, each participant in the meat supply chain (such as farmers, processors, distributors, and retailers) records transactions on a shared ledger. Each transaction is time-stamped and linked to the previous one, creating a chain of records that cannot be altered without the consensus of the network. This ensures that the information related to the origin, processing, and distribution of meat products is accurate and tamper-proof (Patelli *et al.*, 2020).

For instance, BCT allows to save and trace data at each stage of an agrifood supply chain. In fact, farmers can start a blockchain by adding data about cultivated crops, pesticides, and fertilizers used; breeders may add data about the farm and the farming practices employed, also including data related to animals and their welfare. Information about the abattoirs and meat processing can also be added, including data about each batch. In the last phase of the supply chain, BCT also allows to save data about shipping details, storage conditions (*e.g.*, temperature and humidity), time in transit at every transport method, and so on, so that highly detailed information about each food item is available for everyone involved in the supply chain. As a whole, therefore, BCT allows the recording of information about food products at every stage of the supply chain to ensure good hygienic conditions and identify contaminated products, frauds, and risks as early as possible (Patelli *et al.*, 2020; Kampan *et al.*, 2022; Bosona *et al.*, 2023;

Arvana *et al.*, 2023; Ellahi *et al.*, 2023). Consumers and control agencies involved in risk management along the agrifood chains can access this information *via* a QR code on the product's packaging, providing them with confidence in the product's authenticity and quality and allowing a fast and simple tracking in cases of adulteration or contamination problems (Qian *et al.*, 2020).

Several pilot projects and case studies have demonstrated the effectiveness of blockchain in meat traceability (Chen *et al.*, 2021). The most cited BCT-IoT projects are related to Walmart case studies and the traceability of pork meat and mango using the IBM "Food Trust Platform" based on "Hyperledger Fabric", the IBM "Food Trust" used to develop "Beefchain" (<https://beefchain.com/>), a traceability tool tailored to facilitate the recovery of data about meat origin in case of disease outbreaks and received, for the first time, a certification from the USDA as a "Process Verified Program" (DeCastro, 2018). Another interesting case study has been developed by Carrefour, a French company that is the biggest retailer in Europe, for poultry meat traceability (Wilson and Auchard, 2018).

Despite its potential, BCT faces several challenges in widespread adoption. The first issue is related to the cost of the BCT which could result in increased prices of the products provided with digital traceability (Li *et al.*, 2019). A further element that should be properly evaluated is related to the possible use by companies of BCT data to perform consumer profiling (Rejeb *et al.*, 2020). Indeed, several BCT tools allow users to collect data about consumers who ask to access data using the BC. A last suggestion is related to the lack of common standards in the currently available BCT case studies, making a systematic transfer of these cases to the industry agendas difficult. What we mean is that each study used a different BCT and a diverse standard and frequently case studies are exclusively exploratory without having a proper methodological foundation (Kumar *et al.*, 2022; Patel *et al.*, 2023;). As BCT matures and becomes more accessible, its adoption in meat traceability is expected to grow. Future developments should include the complete integration of BCT with other technologies, such as the IoT and AI, to create more sophisticated and automated traceability systems and to verify the congruity of the mass balance of the raw material between the input and the output of the process. It is evident that the application of BCT in food supply chains is still in its nascent phase and continuously evolving. With the integration of BCT and other emerging technologies, remarkable advancements in revamping food supply chains can be expected.

## Advanced methods for verifying authenticity and origin

Fraud in animal-origin products can take many forms, including mislabeling of the provenance, species substitution, discrepancies in the production method and farming or breeding technique, addition of non-declared substances, as well as fraudulent treatments and non-declaration of processes (Hassoun *et al.*, 2020). The most common type of fraud in foods is the replacement of a component with a similar cheaper one or the presence of undeclared and genetically modified ingredients (Cubero-Leon *et al.*, 2014; Katerinopoulou *et al.*, 2020). Since the beginning of the 80s, worldwide research efforts to develop new techniques and methodologies have been aimed at targeting and identifying the authenticity of agri-food products (Abbas *et al.*, 2018).

Analytical approaches have been classified into two main groups, namely targeted and non-targeted approaches (Sentandreu

and Sentandreu, 2014). Targeted approaches aim at detection, quantification, or both, of a single compound or more pre-defined analytical targets at a time. Non-targeted analyses also denoted as 'fingerprinting', are qualitative and detect various indefinite targets of more than 100 data points. Such analyses become crucial when either primary or secondary markers are unavailable and undefined (Ballin and Laursen, 2019).

The most commonly used techniques for food authenticity and traceability include liquid and gas chromatography (GC), isotope ratio and elemental analyses, spectroscopic techniques, DNA-based techniques, and sensor techniques. Each technique has its own pros and cons. Concerning physico-chemical analyses, liquid and gas chromatographic techniques are widely used to identify detrimental substances, which is time-taking, expensive, labor-intensive, and involve many purification steps (Wadood *et al.*, 2020; Vishnuraj *et al.*, 2023). Furthermore, isotope ratio, elemental analysis, and DNA-based methods even proved to be very sensitive but also presented the same drawbacks. Therefore, in the recent past, great attention was paid to establishing non-destructive and non-invasive techniques, for instance vibrational, hyperspectral, fluorescence, nuclear magnetic resonance (NMR) spectroscopy, and sensor techniques such as electronic tongues and electronic noses. These techniques are rapid, cost-effective, involve less or no sample preparation, are environmentally friendly, easy to operate, and can be adopted for online or at-line process control. However, sometimes it is hard to determine the authenticity of agro-food products with high accuracy due to their low sensitivity and high signal-to-noise ratio (Sajali *et al.*, 2020; McVey *et al.*, 2021). The following sections discuss the specific scope of the commonly utilized analytical methods.

## DNA techniques

Meat products are highly popular, as one of the most favored and consumed foods worldwide. Meat authenticity has become a hot topic based on various concerns, including religious affairs, specific meat allergies, health issues, legal or illegal game hunting, malicious marketing practices, and economic and legal reasons. In addition, vegetarians and vegans reject meat ingredients (Adenuga *et al.*, 2023).

Various DNA-based methods have been constructed and are widely utilized for meat authentication in composite mixtures (Cai *et al.*, 2021; Papadopoulou and Sotiraki, 2022). Unlike proteins, DNA is more stable, existing not only in fresh meat products but also in processed ones, which has contributed to DNA analysis as a preferential choice for the identification of meat origins in processed products (Poser *et al.*, 2000). From DNA-based techniques, polymerase chain reaction (PCR) including multiplex PCR, real-time PCR, and PCR-restriction fragment length polymorphism has evolved as the practical method for meat species detection under various processing conditions (Li *et al.*, 2020). Nevertheless, multiplex PCR systems with species-specific primers are greatly desirable since they can simultaneously check multiple meat types without special infrastructures (Ali *et al.*, 2015).

One of the most common applications of DNA analysis in meat authentication is species identification. This is particularly important for detecting food frauds, where cheaper meat species are substituted for more expensive ones. For example, DNA analysis was instrumental in uncovering the horsemeat scandal, where horsemeat was found in products labeled as beef. Some of the existing identification molecular methods include DNA barcoding of animal species, species-specific PCR, and DNA macro array analysis (Vishnuraj *et al.*, 2023). However, the current trends and require-

ments in food fraud investigation require novel techniques with trace analyte detection capabilities and the ability of the method for a high degree of detection as well as absolute quantification of adulteration (Čapla *et al.*, 2020; Hrbek *et al.*, 2020; Stachniuk *et al.*, 2021;). Among the numerous diagnostic methods currently available in this field, biosensors are promising tools capable of providing high levels of surveillance (Fusco *et al.*, 2023). In addition, more advanced high-throughput DNA sequencing methods, such as next-generation sequencing, have emerged in recent years as valuable techniques for carrying out untargeted screening of complex samples (Kappel *et al.*, 2023). Other methods are necessary for adulteration of multiple species. One of the preliminary approaches in the detection of multiple species includes multiplex PCR assays followed by electrophoretic identification of animal species like pork, mutton, chicken, ostrich, beef, horse, and game (Cheng *et al.*, 2022). DNA microarrays have also been used for the simultaneous detection of 32 meat species (Cottenet *et al.*, 2016).

In addition to species identification, DNA analysis can be used to unveil mislabeling problems. Some of the most common misrepresentations in meat are the inclusion of offal of the same species and specified-risk materials which can be tackled with microRNA analysis. When closely related species, such as sheep and goat meat, are mislabeled, many techniques like real-time PCR and DNA hybridization were found convenient for testing (Li *et al.*, 2021; Vishnuraj *et al.*, 2021).

Finally, more contemporary concerns related to Halal and Kosher compliance, sex and age identification, geographical origin, vegan food authentication, and the detection of genetically modified organisms (GMOs) are covered by DNA techniques. Challenges in Halal and Kosher authentication remain due to the possible presence of traces of DNA (Cai *et al.*, 2017; Hossain *et al.*, 2021). Animal age and sex identification face challenges due to limitations in current DNA markers (Le Clercq *et al.*, 2023). Geographical origin verification, vital for traceability, relies on genomic approaches (Santos *et al.*, 2023). Vegan food authentication and GMO detection require sensitive methods to prevent cross-contamination and ensure accurate labeling (Saltykova *et al.*, 2022; Vishnuraj *et al.*, 2023).

Despite these challenges, DNA analysis offers high accuracy and reliability. Ongoing research is focused on developing faster, cheaper, and more robust DNA-based methods, which could make this technology more accessible and widely adopted (Vishnuraj *et al.*, 2023).

### Stable isotope fingerprinting

The isotopic fingerprint of animal tissues and products is the summation of feeds ingested throughout their life. As a result, isotope fingerprinting can provide a unique “signature” that links meat to its place of origin. A wide range of environmental and biological factors affect the isotope abundances of light and heavier elements in animal tissues and secretions, leading to a unique fingerprint that can be used to identify food frauds affecting the animal-derived food chain. Consequently, analytical techniques such as isotope ratio mass spectrometry (MS), which allows the accurate determination of the stable isotope ratios ( $2\text{ H} / 1\text{ H}$ ,  $13\text{ C} / 12\text{ C}$ ,  $15\text{ N} / 14\text{ N}$ ,  $18\text{ O} / 16\text{ O}$ ,  $34\text{ S} / 32\text{ S}$ ), have become increasingly popular and are among the most favored tools for assessing the authenticity of food products (Dehelean *et al.*, 2022).

In this regard, by combining stable isotopes with multi-element analysis and then applying statistical treatments, reliable information about the geographical origin, animal diet, and production system (organic/conventional, wild/farmed) of various

meat products (Cristea *et al.*, 2020; Krajnc *et al.*, 2020) could be obtained. For example, it can differentiate between grass-fed and grain-fed beef, or between organic and conventional meat. This method has been used in various countries to verify the authenticity of high-value meat products, such as Iberian ham in Spain and Wagyu beef in Japan. Preliminary studies have demonstrated the usefulness of stable isotope analysis in determining the origins of animal products, especially when combined with the elemental profiling technique (Zhao *et al.*, 2020; Cichna-Markl *et al.*, 2023; Varrà *et al.*, 2023). The main advantage of isotope fingerprinting is its ability to provide objective and reliable evidence of meat origin. However, the interpretation of isotope data can be complex, as it may be influenced by multiple factors, including environmental changes and animal management practices and the method requires sophisticated equipment and expertise, which may limit its accessibility for small-scale producers. Moreover, the combination with other inorganic markers seems to be necessary to increase robustness in contrasting confounding results (Cichna-Markl *et al.*, 2023).

Advances in analytical technologies together with the improvement of big data handling would help the creation of comprehensive isotopic maps of foods, whose dissemination through comprehensive databanks would mark a significant milestone in modern animal-derived food traceability systems. This would improve the efficiency of food inspection and control procedures, enhance transparency and regulatory compliance of foodstuffs, and, finally, contribute to preserving the integrity of the food supply chain (Varrà *et al.*, 2023).

### Chemometric analysis

Most of the aforementioned analytical methods are associated with several drawbacks, mostly related to the destructive nature of the measurements and the time required to perform the analyses. Therefore, there is still great interest in the development of non-destructive, rapid, accurate, robust, and high-throughput analytical methods for on-site and real-time food authentication. Spectroscopic techniques have gained much importance during the last few years in the context of fighting fraud and verifying the authenticity of food products (Islam and Cullen, 2021).

Spectroscopic techniques analyze the interaction between matter and electromagnetic radiation. Common methods include near-infrared spectroscopy (NIRS), NMR, magnetic resonance imaging, and Raman spectroscopy. NIRS is particularly effective when combined with chemometric analysis to identify adulteration in ground beef and lamb. It has been used to game meat speciation and the classification between fresh and previously frozen meat (Edwards *et al.*, 2020). NIRS has also been used to develop an approach for the authentication of Iberian pig product carcasses and the evaluation of the chicken welfare standard, *i.e.*, conventional, free-range, organic, *etc.*, (Parastar *et al.*, 2020; Ortiz *et al.*, 2021). NMR spectroscopy and MS are the two major analytical platform pillars adopted in metabolomics to assess animal welfare (Fabrile *et al.*, 2023). Furthermore, Raman spectroscopy has been used for the authentication of common Australian beef production systems (Logan *et al.*, 2021).

Spectrometric techniques separate and measure specific spectral components after interaction with light. MS, often coupled with liquid chromatography (LC) or GC, is widely used for food authentication by analyzing stable isotopic ratios and species-specific peptides (Ballin and Laursen, 2019; Zia *et al.*, 2020). Techniques like LC-MS/MS and GC-MS/MS have been employed to detect adulteration in meat products, identifying specific marker peptides even in highly processed meats (Ortea *et al.*, 2016;

Harlina *et al.*, 2022). It is evident that there is no one-size-fits-all methodology. Spectroscopic methods offer several advantages, including rapid analysis, non-destructive testing, and the ability to analyze multiple parameters simultaneously. However, several challenges still exist related to the wide application and implementation of these technologies in both research and commercial laboratories. The general challenges associated with these methods are the high cost per sample, the need for skilled personnel, and the time required for analysis. Promising technological advancements have been made in the area of spectroscopic hardware (McVey *et al.*, 2021). This requires the need for a continuous exchange between the food authentication stakeholders, together with the growth of a new generation of scientists able to work in both academic and industrial environments and skilled in facing all aspects of food authentication using non-targeted techniques (Popping *et al.*, 2022).

## Voluntary certification schemes

Certification can be defined as the provision by an independent body of written assurance (a certificate) that the product, service or system in question meets specific requirements (ISO, 2015). These requirements are related to quality, safety, origin, and ethical production practices. In this way, certification provides an additional layer of assurance for consumers and can serve as a marketing tool for producers (Albersmeier *et al.*, 2009; European Commission, 2010; Bovay, 2023).

In recent years, certification schemes have been widely introduced into the European agrifood sector. In the early 90s, the EU promulgated a series of rules that, taken together, mandated the creation of a comprehensive scheme of geographical protections (PGI and PDO), linking for the first time public and private certifications to quality production [Regulation (EEC) 2081/92] (Council of the European Communities, 1992). The EU General Food Law legislation places primary legal responsibility for food safety on FBOs, compelling them to establish effective food safety control systems, of which traceability is one of the key systems (Marsden *et al.*, 2000). This shift, in the late 90s, increased the relevance of private standards, particularly among large retailers and processors, who use them to protect their brands and ensure product safety (Nguyen and Li, 2022; Chen *et al.*, 2015). Moreover, the rapid development of private standards was a response to food scares and the globalization of the agribusiness supply chain, where public regulation often falls short (Fagotto, 2014).

Supermarkets and food retailers often adopt private standards to maintain consumer trust, driven by their market power and the need to meet consumer demands for safe and high-quality food. This adoption is particularly evident in the development of supermarket own brands, which rely on strict adherence to food safety and traceability standards to protect their reputation (Dobson *et al.*, 2001; Gurzawska *et al.*, 2020). The focus on broader corporate social responsibility agendas means that private standards address not only food safety but also environmental and social concerns, reflecting changing consumer expectations (Panea and Ripoll, 2020). Food quality certification schemes exist in a variety of institutional forms, have diverse origins, and may serve multiple purposes. The schemes differ in several attributes, including the extent to which users are free to decide and act to comply with the standards (*e.g.*, mandatory *vs.* voluntary), and the role of public and private organizations in publishing and/or enforcing the standards (Hristov *et al.*, 2023). Since the '90s, the available public and private certifications linked to the concept of quality productions are

more than 800, most of which were established during the last decade (Wiengarten *et al.*, 2016; Ravaglia *et al.*, 2018; Dima, 2021). These schemes can be classified in different ways (Theuvsen *et al.*, 2007). With regard to the standard setter, the schemes can be distinguished between private and public standards. Public standards are laid down by the EU (Regulations (EU) No. 1143/2024 on geographical indications, Regulations (EU) No 848/2018 on organic productions) (European Parliament and Council of the European Union, 2018) or by national or regional governments. Private standards are laid down by customers (BRC Global Standard, International Food Standard), retailers (TESCO, Marks & Spencer, LIDL, COOP), norming institutions (ISO, 2007, 2015), or animal welfare associations (Red Tractor, RSPCA, CAWA) (European Commission, 2022). Based on the recipient of the certificates, the schemes can be either other businesses or consumers or—in some cases—both. Business-to-business (B2B) standards are not communicated to the final consumers, who are often unaware of the existence of standards, such as GlobalGAP, BRC Global Standard, International Food Standard, or ISO 22000 (ISO, 2018). Business-to-consumer (B2C) schemes address the final consumer, typically by displaying a logo on the products of certified farms and companies (Label Rouge, PDO, PGI). The B2C standards represent the majority of certification schemes in the EU. Some schemes have a B2B as well as a B2C focus (*e.g.*, Red Tractor certification). Finally, the schemes can be classified based on the focus of certification: in this way, they can be system-, process-, or product-based. Quality management system audits are typical of schemes that seek to guarantee minimum standards in a B2B environment (ISO 9001, ISO 22000, GlobalGAP, International Food Standard, BRC Global Standard). For instance, production processes are the main focus of organic farming labels or the antibiotic free supply chain, while a product focus is often characteristic of PDOs and PGIs (Theuvsen *et al.*, 2007).

Overall, voluntary certification schemes play a crucial role in enhancing meat traceability and authenticity verification, thus enhancing transparency and trust among stakeholders (Stranieri *et al.*, 2016). Traceability can be used as a method to comply with regulations and food safety and quality standards, providing information on the origin and processing. In addition, traceability is used as a food safety tool that provides product recall to identify the source of a health issue (Taylor *et al.*, 2016). In addition, labels on the packaging of meat products are able to increase consumer confidence by improving their understanding of the product's origin (Moe, 1998, Glynn *et al.*, 2009, Magalhaes *et al.*, 2021). Consumers are often willing to pay a premium for certified products (Sun *et al.*, 2017). Moreover, traceability allows consumers to access detailed information on the environmental and social impacts of their purchases through tools like QR codes, helping them to make informed decisions (Islam and Cullen, 2021). On the other side, certifications can also be used to improve supply-side management and to differentiate and market products with credence attributes (Ringsberg, 2014), *i.e.*, those attributes that are difficult to detect by consumers even after the consumption of the product, such as origin or process attributes (organic production, animal welfare, *etc.*) (Vriezen *et al.*, 2023).

Certification schemes contribute to meat traceability by requiring producers to keep detailed records of their production practices and supply chain management. These records are subjected to third-party audits, which provide an independent verification of compliance with the certification standards. Certification also promotes transparency, as certified products often carry labels or logos that inform consumers about the standards they meet (Sun and Wang, 2019; Uribe and Ruf, 2020). Moreover, certification

schemes provide food businesses with tools to improve production efficiency, supply chain coordination, and product differentiation. Companies with advanced traceability systems can better manage real-time data, such as temperature logs, enhancing inventory management and recall processes. In competitive markets, businesses use traceability to differentiate their products by providing information on the packaging about attributes like country of origin or organic certification, which can lead to increased sales and brand value (Jedermann *et al.*, 2014; Corallo *et al.*, 2020; Murphy *et al.*, 2022). Finally, certification schemes can complement other traceability and authentication methods, such as blockchain, DNA analysis, or other analytical methods.

While voluntary certification schemes offer significant benefits, they also face challenges. These include the cost of certification, which may be prohibitive for small-scale producers, and the potential for consumer confusion due to the proliferation of different certification labels. In acquiring high market shares, the retailers benefit from the function of delisting non-certified producers and processors. Additionally, the effectiveness of certification schemes depends on the rigor of the standards and the credibility of the certifying bodies (Latino *et al.*, 2022).

Looking forward, the integration of certification schemes with advanced traceability technologies, such as blockchain and digital platforms, could enhance their effectiveness and accessibility. This could lead to the development of more holistic and transparent certification systems that provide consumers with greater confidence in the authenticity and quality of meat products.

## Discussion and Conclusions

The advancements in meat traceability and authenticity verification are crucial for ensuring the safety, quality, and transparency of the meat supply chain. BCT offers a promising solution for enhancing traceability, providing a secure and transparent way to record and share information across the supply chains. Advanced methods, such as isotope fingerprinting, DNA analysis, and spectroscopic techniques, provide powerful tools for verifying the authenticity and origin of meat, especially for products with credence attributes. Voluntary certification schemes further enhance traceability and authenticity by establishing standards and providing independent verification of compliance.

The integration of these innovative systems and methods has the potential to transform the meat industry, creating a more reliable and transparent supply chain. However, challenges remain, including the need for standardization, the high cost of implementation, and the need for collaboration among stakeholders. As research and technology continue to advance, these challenges will likely be addressed, leading to even more robust and effective traceability and authentication systems.

## References

- Abbas O, Zadavec M, Baeten V, Mikuš T, Lešić T, Vulić A, Prpić J, Jemeršić L, Pleadin J, 2018. Analytical methods used for the authentication of food of animal origin. *Food Chem* 246:6-17.
- Abdel-Basset M, Manogaran G, Mohamed M, 2018. Internet of things (IoT) and its impact on supply chain: a framework for building smart secure and efficient systems. *Futur Gener Comput Syst* 86:614-28.
- Adenuga BM, Montowska M, 2023. A systematic review of DNA-based methods in authentication of game and less common meat species. *Compr Rev Food Sci Food Saf* 22:2112-60.
- Albersmeier F, Schulze H, Jahn G, Spiller A, 2009. The reliability of third-party certification in the food chain: From checklists to risk-oriented auditing. *Food Control* 20:927-35.
- Ali ME, Razzak MA, Abd Hamid SB, Rahman MM, Al Amin M, Abd Rashid NR, Asing, 2015. Multiplex PCR assay for the detection of five meat species forbidden in Islamic foods. *Food Chem* 177:214-24
- Arvana M, Rocha AD, Barata J, 2023. Agri-food value chain traceability using blockchain technology: Portuguese hams' production scenario. *Foods* 12:4246.
- Bai Y, Liu H, Zhang B, Zhang J, Wu H, Zhao S, Qie M, Guo J, Wang Q, Zhao Y, 2021. Research progress on traceability and authenticity of beef. *Food Rev Int* 39:1645-65.
- Ballin NZ, Laursen KH. 2019. To target or not to target? Definitions and nomenclature for targeted versus non-targeted analytical food authentication. *Trends Food Sci* 86:537-43.
- Beck A, Kröger C, Dreyer B, 2021. Blockchain and meat traceability: current developments and future potential, *Trends Food Sci* 113:102-10.
- Behnke K, Janssen MFWHA, 2020. Boundary conditions for traceability in food supply chains using blockchain technology. *Int J Inf Manag* 52:101969.
- Biglia A, Barge P, Tortia C, Comba L, Ricauda Aimonino D, Gay P, 2022. Artificial intelligence to boost traceability systems for fraud prevention in the meat industry. *J Agric Eng* 53:1328.
- Bosona T, Gebresenbet G, 2023. The role of blockchain technology in promoting traceability systems in agri-food production and supply chains. *Sensors* 23:5342.
- Bovay J, 2023. Food safety reputation and regulation. *Appl Econ Persp Policy* 45:684-704.
- Cai ZD, Zhou S, Liu QQ, Ma H, Yuan XY, Gao JQ, Cao JX, Pan DD, 2021. A simple and reliable single tube septuple PCR assay for simultaneous identification of seven meat species. *Foods* 10:1083.
- Cao S, Powell W Foth M Natanelov V Miller T Dulleck U, 2021. Strengthening consumer trust in beef supply chain traceability with a blockchain-based human-machine reconcile mechanism. *Comput Electron Agr* 180:105886.
- Čapla J, Zajác P, Čurlej J, Belej L, Kročko M, Bobko M, Benešová L, Jakabová S, Vlčko T, 2020. Procedures for the identification and detection of adulteration of fish and meat products. *Potravinarstvo Slovak J Food Sci* 14:978-94.
- Charlebois S, Sterling B, Haratifar S, and Naing SK, 2014. Comparison of global food traceability regulations and requirements. *Compr Rev Food Sci Food Saf* 13:1104-1123.
- Chen E, Flint S, Perry P, Perry M, Lau R, 2015. Implementation of non-regulatory food safety management schemes in New Zealand: a survey of the food and beverage industry. *Food Control* 47:569-76.
- Chen Y, Zhou A, Liang X, Xie N, Wang H, and Li X, 2021. A traceability system of livestock products based on blockchain and the internet of things. *IEEE International Performance Computing and Communications Conference (IPCCC)* 2021, Austin, TX, USA, pp. 1-5.
- Cheng Y, Wang S, Ju S, Zhou S, Zeng X, Wu Z, Pan D, Zhong G, Cai Z, 2022. Heat-treated meat origin tracing and authenticity through a practical multiplex polymerase chain reaction approach. *Nutrients* 14:4727.
- Cichna-Markl M, Mafra I, 2023. Techniques for food authentication: trends and emerging approaches. *Foods* 12:1134.
- Clark LF, 2015. The current status of DNA barcoding technology for species identification in fish value chains. *Food Policy* 54:85-94.

- Corallo A, Latino ME, Menegoli M, Striani F, 2020. The awareness assessment of the Italian agri-food industry regarding food traceability systems. *Trends Food Sci* 101:28-37.
- Cottenet G, Blancpain C, Chuah PF, Cavin C, 2020. Evaluation and application of a next generation sequencing approach for meat species identification. *Food Control* 110:107003.
- Council of the European Communities, 1992. Council Regulation (EEC) No 2081/92 of 14 July 1992 on the protection of geographical indications and designations of origin for agricultural products and foodstuffs. In: *Official Journal*, L 208, 24/7/1992.
- Cristea G, Voica C, Feher I, Puscas R, Magdas DA, 2022. Isotopic and elemental characterization of Romanian pork meat in corroboration with advanced chemometric methods: a first exploratory study. *Meat Sci* 189:108825.
- Cubero-Leon E, Peñalver R, Maquet A, 2014. Review on metabolomics for food authentication, *Food Res Int* 60:95-107.
- DeCastro K, 2018. How Wyoming ranchers are counting on IBM blockchain for traceability. Available from: <https://admin02.prod.blogs.cis.ibm.net/blogs/think/2018/10/how-wyoming-ranchers-are-counting-on-ibm-blockchain-for-traceability/>.
- Dedeoglu V, Malik S, Ramachandran G, Pal S, Jurdak R, 2023. Blockchain meets edge-AI for food supply chain traceability and provenance. Deakin University.
- Dehelean A, Cristea G, Puscas R, Hategan AR, Magdas DA, 2022. Assigning the geographical origin of meat and animal rearing system using isotopic and elemental fingerprints. *Appl Sci* 12:12391.
- Dima A, 2021. Frontmatter. In: *Resilience and economic intelligence through digitalization and big data analytics*. The Bucharest University of Economic Studies, Bucharest, Romania.
- Dobson PW, Clarke R, Davies S, Waterson M, 2001. Buyer power and its impact on competition in the food retail distribution sector of the European Union. *J Ind Comp Trade* 1:247-81.
- Edwards K, Manley M, Hoffman L,C, Beganovic A, Kirchlher CG, Huck CW, Williams PJ, 2020. Differentiation of South African game meat using near-infrared (NIR) spectroscopy and hierarchical modelling. *Molecules* 25:1845.
- Ellahi RM, Wood LC, Bekhit AE-DA, 2023. Blockchain-based frameworks for food traceability: a systematic review. *Foods* 12:3026.
- European Commission, 2010. Commission Communication - EU best practice guidelines for voluntary certification schemes for agricultural products and foodstuffs. In: *Official Journal*, C 341/5, 16/12/2010.
- European Commission, 2013. Commission Implementing Regulation (EU) No 1337/2013 of 13 December 2013 laying down rules for the application of Regulation (EU) No 1169/2011 of the European Parliament and of the Council as regards the indication of the country of origin or place of provenance for fresh, chilled and frozen meat of swine, sheep, goats and poultry. In: *Official Journal*, L 335, 14/12/2013.
- European Commission, 2022. Study on animal welfare labelling – final report. Available from: <https://op.europa.eu/en/publication-detail/-/publication/49b6b125-b0a3-11ec-83e1-01aa75ed71a1/language-en>.
- European Parliament, Council of the European Union, 2000. Regulation (EC) No 1760/2000 of the European Parliament and of the Council of 17 July 2000 establishing a system for the identification and registration of bovine animals and regarding the labelling of beef and beef products and repealing Council Regulation (EC) No 820/97. In: *Official Journal*, L 204, 11/08/2000.
- European Parliament, Council of the European Union, 2002. Regulation (EC) No 178/2002 of the European Parliament and of the Council of 28 January 2002 laying down the general principles and requirements of food law, establishing the European Food Safety Authority and laying down procedures in matters of food safety. In: *Official Journal*, L 31, 1/2/2002.
- European Parliament, Council of the European Union, 2018. Regulation (EU) 2018/848 of the European Parliament and of the Council of 30 May 2018 on organic production and labelling of organic products and repealing Council Regulation (EC) No 834/2007. PE/62/2017/REV/1. In: *Official Journal*, L 150, 14/6/2018.
- European Parliament, Council of the European Union, 2024. Regulation (EU) 2024/1143 of the European Parliament and of the Council of 11 April 2024 on geographical indications for wine, spirit drinks and agricultural products, as well as traditional specialities guaranteed and optional quality terms for agricultural products, amending Regulations (EU) No 1308/2013, (EU) 2019/787 and (EU) 2019/1753 and repealing Regulation (EU) No 1151/2012. In: *Official Journal*, L 2024/1143, 23/4/2024.
- Fabrele MP, Ghidini S, Conter M, Varrà MO, Ianieri A, Zanardi E, 2023. Filling gaps in animal welfare assessment through metabolomics. *Front Vet Sci* 10:1129741.
- Fagotto E, 2014. Private roles in food safety provision: the law and economics of private food safety. *Eur J Law Econ* 37:83-109.
- Fusco V, Fanelli F, Chieffi D. 2023. Recent and advanced DNA-based technologies for the authentication of probiotic, protected designation of origin (PDO) and protected geographical indication (PGI) fermented foods and beverages. *Foods* 12:3782.
- Gaspar P, Diaz-Caro C, Del Puerto I, Ortiz A, Escribano M, Tejerina D, 2022. What effect does the presence of sustainability and traceability certifications have on consumers of traditional meat products? The case of Iberian cured products in Spain. *Meat Sci* 187:108752.
- George RV, Harsh HM, Ray P, Babu AK, 2019. Food quality traceability prototype for restaurants using blockchain and food quality data index. *J Clean Prod* 240:118021.
- Glynn TT, Schroeder TC, Pennings JME, 2009. Factors impacting food safety risk perceptions. *J Food Agric Environ* 60:625-44.
- Gurzawska A, 2020. Towards responsible and sustainable supply chains – innovation multi-stakeholder approach and governance. *Philos Manag* 19:267-95.
- Harlina PW, Maritha V, Musfiroh I, Huda S, Sukri N, Muchtaridi M, 2022. Possibilities of liquid chromatography mass spectrometry (LC-MS)-based metabolomics and lipidomics in the authentication of meat products: a mini review. *Food Sci Anim Resour* 42:744-61.
- Hassoun A, Mâge I, Schmidt WF, Temiz HT, Li L, Kim H-Y, Nilsen H, Biancolillo A, Aït-Kaddour A, Sikorski M, et al, 2020. Fraud in animal origin food products: advances in emerging spectroscopic detection methods over the past five years. *Foods* 9:1069.
- Hossain MAM, Uddin SMK, Sultana S, Wahab YA, Sagadevan S, Johan MR, Ali ME, 2020. Authentication of Halal and Kosher meat and meat products: analytical approaches current progresses and future prospects. *Crit Rev Food Sci Nutr* 62:285-310.
- Hrbek V, Zdenkova K, Jilkova D, Cermakova E, Jiru M, Demnerova K, Pulkrabova J, Hajslova J, 2020. Authentication of meat and meat products using triacylglycerols profiling and

- by DNA analysis. *Foods* 9:1269.
- Hristov H, Erjavec K, Pravst I, Juvančič L, Kuhar A, 2023. Identifying differences in consumer attitudes towards local foods in organic and national voluntary quality certification schemes. *Foods* 12:1132.
- Islam S, Cullen J M, 2021. Food traceability: a generic theoretical framework. *Food Control* 123:107848.
- ISO, 2007. Traceability in the feed and food chain — General principles and basic requirements for system design and implementation. ISO Norm 22005:2007. International Standardization Organization ed., Geneva, Switzerland.
- ISO, 2015. Quality management systems — requirements. ISO Norm 9001:2015. International Standardization Organization ed., Geneva, Switzerland.
- ISO, 2018. Food safety management systems — Requirements for any organization in the food chain. ISO Norm 22000:2018. International Standardization Organization ed., Geneva, Switzerland.
- Jedermann R, Nicometo M, Uysal I, Lang W, 2014. Reducing food losses by intelligent food logistics. *Philos Transact A Math Phys Eng Sci* 372:20130302.
- Kampan K, Tsusaka TW, Anal AK, 2022. Adoption of blockchain technology for enhanced traceability of livestock-based products. *Sustainability* 14:13148.
- Kappel K, Gadelmeier A, Denay G, Gerdes K, Graff A, Hagen M, Hassel M, Huber I, Näumann G, Pavlovic M, Pietsch K, Stumme B, Völkel I, Westerdorf S, Wöhlke A, Hohegger R, Brinks E, Franz C, Haase I, 2023. Detection of adulterated meat products by a next-generation sequencing-based metabarcoding analysis within the framework of the operation OPSON X: a cooperative project of the German National Reference Centre for Authentic Food (NRZ-Authent) and the competent German food control authorities. *J Consum Prot Food Saf* 18:375-91.
- Katerinopoulou K, Kontogeorgos A, Salmas CE, Patakas A, Ladavos A, 2020. Geographical origin authentication of agri-food products: a review. *Foods* 9:489.
- Kendall H, Clark B, Rhymer C, Kuznesof S, Hajslova J, Tomaniova M, 2019. A systematic review of consumer perceptions of food fraud and authenticity: a European perspective. *Trends Food Sci Tech* 94: 79-90.
- Krajnc B, Bontempo L, Luis Araus J, Giovanetti M, Alegria C, Lauteri M, Ogrinc N, 2020. Selective methods to investigate authenticity and geographical origin of Mediterranean food products. *Food Rev Int* 37:656-82.
- Kumar S, Raut R D, Agrawal N, Cheikhrouhou N, Sharma M, Daim T, 2022. Integrated blockchain and internet of things in the food supply chain: Adoption barriers. *Technovation* 118:102589.
- Latino ME, Menegoli M, Lazoi M, Corallo A, 2022. Voluntary traceability in food supply chain: a framework leading its implementation in Agriculture 40. *Technol Forecast Soc Change* 178:121564.
- Le Clercq L-S, Kotzé A, Grobler JP, Dalton DL, 2023. Biological clocks as age estimation markers in animals: a systematic review and meta-analysis. *Biol Rev* 98:1972-2011.
- Li J, Li J, Liu R, Wei Y, Wang S, 2021. Identification of eleven meat species in foodstuff by a hexaplex real-time PCR with melting curve analysis. *Food Control* 121:107599.
- Li J, Li N, Peng J, Cui H, Wu Z, 2019. Energy consumption of cryptocurrency mining: a study of electricity consumption in mining cryptocurrencies. *Energy* 168:160-8.
- Li YC, Liu SY, Meng FB, Liu DY, Zhang Y, Wang W, Zhang JM, 2020. Comparative review and the recent progress in detection technologies of meat product adulteration. *Compr Rev Food Sci Food Saf* 19:2256-96.
- Logan BG, Hopkins DL, Schmidtke LM, Fowler SM, 2021. Authenticating common Australian beef production systems using Raman spectroscopy. *Food Control* 121:107652.
- Magalhaes DR, Campo MdM, Maza MT, 2021. Knowledge, utility, and preferences for beef label traceability information: a cross-cultural market analysis comparing Spain and Brazil. *Foods* 10:232.
- Marsden T, Banks J, Bristow G, 2000. Food supply chain approaches: exploring their role in rural development. *Sociologia Ruralis* 40:424-38.
- McVey C, Elliott C T, Cannavan A, Kelly S D, Petchkongkaew A, Haughey S A, 2021. Portable spectroscopy for high throughput food authenticity screening: advancements in technology and integration into digital traceability systems. *Trends Food Sci Technol* 118:777-90.
- Moe T, 1998. Perspectives on traceability in food manufacture. *Trends Food Sci Technol* 9:211-4.
- Murphy B, Martini M, Fedi A, Loera BL, Elliott C T, Dean M, 2022. Consumer trust in organic food and organic certifications in four European countries. *Food Control* 133:108484.
- Nguyen TTB, Li D, 2022. A Systematic literature review of food safety management system implementation in global supply chains. *British Food J* 124:3014-31.
- Nurgazina J, Pakdeetrakulwong U, Moser T, Reiner G, 2021. Distributed ledger technology applications in food supply chains: a review of challenges and future research directions. *Sustainability* 13:4206.
- Ortea I, O'Connor G, Maquet A, 2016. Review on proteomics for food authentication, *J Prot* 147:212-25.
- Ortiz A, León L, Contador R, Tejerina D, 2021. Potential use of near infrared spectroscopy (NIRS) to categorise chorizo sausages from Iberian pigs according to several quality standards. *Appl Sci* 11:11379.
- Panea B, Ripoll G, 2020. Quality and safety of meat products. *Foods* 9:803.
- Papadopoulou A, Sotiraki S, 2022. DNA-based methods for meat authentication and traceability: Recent advances and applications. *Trends Food Sci Technol* 126:166-76.
- Parastar H, van Kollenburg G, Weesepeol Y, van den Doel A, Buydens L, Jansen J, 2020. Integration of handheld NIR and machine learning to “measure & monitor” chicken meat authenticity. *Food Control* 112:107149.
- Patel AS, Brahmabhatt MN, Bariya AR, Nayak JB, Singh VK, 2023. Blockchain technology in food safety and traceability concern to livestock products. *Heliyon* 9:16526.
- Patelli N, Mandrioli M, 2020. Blockchain technology and traceability in the agrifood industry. *J Food Sci* 85:3670-8.
- Popping B, Buck N, Bánáti D, Brereton P, Gendel S, Hristozova N, Chaves S, Saner M, Spink S, Willis J C, Wunderlin D, 2022. Food inauthenticity: authority activities guidance for food operators and mitigation tools. *Comp Rev Food Sci Food Saf* 21:4776-811.
- Poser R, Detsch R, Fischer K, Muller WD, Behrschmidt M, Schwagele F, 2000. Animal- and plant species in meat product treated under different temperature regimes - Identification by means of polymerase chain reaction hybridisation applying specific DNA-probes and ELISA. *Fleischwirtschaft -Frankfurt* 80:87-9.
- Qian J, Dai B, Wang B, Zha Y, Song Q, 2020. Traceability in food processing: problems methods and performance evaluations—

- a review. *Crit Rev Food Sci Nut* 62:679-92.
- Ravaglia P, Famiglietti J, Valentino F, 2018. Chapter three - certification and added value for farm productions. *Adv Chem Pollut Environ Manag Prot* 2:63-108.
- Rejeb A, 2018. Halal meat supply chain traceability based on HACCP, blockchain and internet of things. *Acta Technica Jaurinensis* 11:218-47.
- Rejeb A, Keogh J G, Treiblmaier H, 2020. How blockchain technology can benefit marketing: six pending research areas. *Front Blockchain* 3:e3.
- Ringsberg H, 2014. Perspectives on food traceability: a systematic literature review. *Int J Supply Chain Manag* 19:558-76.
- Robson K, Dean M, Haughey S, Elliot C, 2021. A comprehensive review of food fraud terminologies and food fraud mitigation guides. *Food Control* 120:107516.
- Sajali N, Wong SC, Abu Bakar S, Khairil Mokhtar NF, Manaf YN, Yuswan MH, Mohd Desa MN, 2021. Analytical approaches of meat authentication in food. *Int J Food Sci Technol* 56:1535-43.
- Saltykova A, Van Braeckel J, Papazova N, Fraiture MA, Deforce D, Vanneste K, De Keersmaecker SCJ, Roosens NH, 2022. Detection and identification of authorized and unauthorized GMOs using high-throughput sequencing with the support of a sequence-based GMO database. *Food Chem* 74:100096.
- Santos A, Ricardo F, Rosário M, Domingues M, Patinha C, Calado R, 2023. Current trends in the traceability of geographic origin and detection of species-mislabeling in marine bivalves. *Food Control* 152:109840.
- Sentandreu MÁ, Sentandreu E, 2014. Authenticity of meat products: Tools against fraud. *Food Res Int* 60:19-29.
- Shanahan C, Kernan B, Ayalew G, McDonnell K, Butler F, Ward S, 2009. A framework for beef traceability from farm to slaughter using global standards: An Irish perspective. *Comput Electron Agr* 66:62-9.
- Stachniuk A, Sumara A, Montowska M, Fornal E, 2021. Liquid chromatography-mass spectrometry bottom-up proteomic methods in animal species analysis of processed meat for food authentication and the detection of adulterations. *Mass Spec Rev* 40:3-30.
- Stranieri S, Cavaliere A, Banterle A, 2016. Voluntary traceability standards and the role of economic incentives. *British Food J* 118:1025-40.
- Sun R, Zhang S, Wang T, Hu J, Ruan J, Ruan J, 2021. Willingness and Influencing factors of pig farmers to adopt internet of things technology. *Food Trac Sust* 13:8861.
- Sun S, Wang X, 2019. Promoting traceability for food supply chain with certification. *J Clean Prod* 217:658-65.
- Sun S, Wang X, Zhang Y, 2017. Sustainable traceability in the food supply chain: the impact of consumer willingness to pay. *Sustainability* 9:999.
- Taylor M, Allen Klaiber H, Kuchler Fred, 2016. Changes in U.S. consumer response to food safety recalls in the shadow of a BSE scare. *Food Policy*, 62:56-64.
- Theuvsen L, Cord-Herwig P, Jana-Christina G, 2007. Certification Systems in the meat Industry: Overview and consequences for Chain-Wide Communication. *Pol J Food Nutr Sci* 57:563-9.
- Tian F, 2016. An agri-food supply chain traceability system for China based on RFID and blockchain technology. *Proceedings of 13th International Conference on Service Systems and Service Management (ICSSSM)*, Red Hook, NY, USA, pp 1-6.
- Tran D, Schouteten J J, Gellynck X, De Steur H, 2024. How do consumers value food traceability? – A meta-analysis. *Food Control* 162:110453.
- Tripathi AK, Akul Krishnan K, Pandey AC, 2023. A novel blockchain and internet of things-based food traceability system for smart cities. *Wirel Pers Commun* 129:2157-80.
- Uribe L E, Ruf F, 2020. EU development cooperation and ethical certification schemes: impact, transparency and traceability. Available from: [https://www.europarl.europa.eu/RegData/etudes/STUD/2020/603487/EXPO\\_STU\(2020\)603487\\_EN.pdf](https://www.europarl.europa.eu/RegData/etudes/STUD/2020/603487/EXPO_STU(2020)603487_EN.pdf).
- van Bussel LM, Kuijsten A, Mars M, van 't Veer, P, 2022. Consumers' perceptions on food-related sustainability: a systematic review. *J Clean Prod* 341:130904.
- Varrà MO, Zanardi E, Serra M, Conter M, Ianieri A, Ghidini S, 2023. Isotope fingerprinting as a backup for modern safety and traceability systems in the animal-derived food chain. *Molecules* 28:4300.
- Vishnuraj MR, Aravind Kumar N, Vaithyanathan S, Barbuddhe SB, 2023. Authentication issues in foods of animal origin and advanced molecular techniques for identification and vulnerability assessment. *Trends Food Sci Techn* 138:164-77.
- Vishnuraj MR, Devatkal S, Vaithyanathan S, Kumar R U, Srinivas CH, Mendiratta SK, 2021. Detection of giblets in chicken meat products using microRNA markers and droplet digital PCR assay. *LWT* 140:110798.
- Vriezen R, Plishka M, Cranfield J, 2023. Consumer willingness to pay for traceable food products: a scoping review. *British Food J* 125:1631-65.
- Wadood SY, Boli G, Xiaowen Z, Hussain I, Yimin W, 2020. Recent development in the application of analytical techniques for the traceability and authenticity of food of plant origin. *Microchem J* 152:104295.
- Wang O, Scrimgeour F, 2023. Consumer adoption of blockchain food traceability: effects of innovation-adoption characteristics, expertise in food traceability and blockchain technology, and segmentation. *British Food J* 125:2493-513.
- Wiengarten F, Humphreys P, Onofrei G, Fynes B, 2016. The adoption of multiple certification standards: perceived performance implications of quality, environmental and health & safety certifications. *Prod Plan Cont* 28:131-41.
- Wilson T, Auchard E, 2018. Chickens and eggs: retailer Carrefour adopts blockchain to track fresh produce Available from: <https://www.reuters.com/article/technology/chickens-and-eggs-retailer-carrefour-adopts-blockchain-to-track-fresh-produce-idUSKCN1MI153/>.
- Zhang A, Mankad A, Ariyawardana A, 2020. Establishing confidence in food safety: is traceability a solution in consumers' eyes? *J Consum Prot Food Saf* 15:99-107.
- Zhao Y, Tu T, Tang X, Zhao S, Qie M, Chen A, Yang S, 2020. Authentication of organic pork and identification of geographical origins of pork in four regions of China by combined analysis of stable isotopes and multi-elements. *Meat Sci* 165:108129.
- Zia Q, Alawami M, Mokhtar NFK, Nhari RMHR, Hanish I, 2020. Current analytical methods for porcine identification in meat and meat products. *Food Chem* 324:126664.