

- PLoS One 2013; 8:e54514.
21. Maeda M, Hayashi T, Mizuno N, et al. Intermittent high glucose implements stress-induced senescence in human vascular endothelial cells: role of superoxide production by NADPH oxidase. *PLoS One* 2015;10:e0123169.
 22. Zhou S, Chen HZ, Wan YZ, et al. Repression of P66Shc expression by SIRT1 contributes to the prevention of hyperglycemia-induced endothelial dysfunction. *Circ Res* 2011;109:639-8.
 23. Skagen K, Trøseid M, Ueland T, et al. The Carnitine-butyrobetaine-trimethylamine-N-oxide pathway and its association with cardiovascular mortality in patients with carotid atherosclerosis. *Atherosclerosis* 2016;247:64-9.
 24. Ussher JR, Lopaschuk GD, Arduini A. Gut microbiota metabolism of L-carnitine and cardiovascular risk. *Atherosclerosis* 2013;231:456-61.
 25. Liepinsh E, Konrade I, Skapare E, et al. Mildronate treatment alters γ -butyrobetaine and l- carnitine concentrations in healthy volunteers. *J Pharm Pharmacol* 2011;63:1195-201.
 26. Liepinsh E, Vilskersts R, Loca D, et al. Mildronate, an inhibitor of carnitine biosynthesis, induces an increase in gamma-butyrobetaine contents and cardioprotection in isolated rat heart infarction. *J Cardiovasc Pharmacol* 2006;48:314-9.
 27. Pekkinen J, Olli K, Huotari A, et al. Betaine supplementation causes increase in carnitine metabolites in the muscle and liver of mice fed a high-fat diet as studied by nontargeted LC-MS metabolomics approach. *Mol Nutr Food Res* 2013;57:1959-8.
 28. Ueland PM. Choline and betaine in health and disease. *Inherit Metab Dis* 2011;34:3-15.
 29. Ganesan B, Buddhan S, Anandan R, et al. Antioxidant defense of betaine against isoprenaline induced myocardial infarction in rats. *Mol Biol Rep* 2010;37:1319-27.
 30. Vitiello M, Zullo A, Servillo L, et al. Multiple pathways of SIRT6 at the crossroads in the control of longevity, cancer, and cardiovascular diseases. *Ageing Res Rev* 2017;35:301-11.

Non commercial use only